



Stringer

SCALES

Price List

MARCH 2025

STRINGER & CO (SCALES) LTD
UNITS 4 & 5 KIMPTON ENTERPRISE PARK
CLAGGY ROAD
KIMPTON
HERTFORDSHIRE
SG4 8HP

TEL: 01438 832052
FAX: 01438 833614
info@stringerscales.co.uk
www.stringerscales.co.uk

GENERAL

ALL GOODS REMAIN THE PROPERTY OF STRINGER & CO (HEREINAFTER CALLED "THE SUPPLIER") UNTIL PAID FOR BY "THE CUSTOMER" IN FULL.

ANY DAMAGE, DEFECTS OR SHORTAGES IN SUPPLY OF GOODS MUST BE NOTIFIED TO THE SUPPLIER WITHIN 48 HOURS OF RECEIPT. ANY CLAIMS SUBMITTED AFTER THIS PERIOD WILL ONLY BE CONSIDERED AT THE DISCRETION OF THE SUPPLIER.

OUR STANDARD WARRANTY TERMS ARE 12 MONTHS "BACK TO BASE", I.E. DEFECTIVE GOODS MUST BE RETURNED, AT THE EXPENSE OF THE CUSTOMER, TO THE SUPPLIER FOR EXCHANGE OR REPAIR. GSE BATTERIES ARE COVERED BY A 90 DAY WARRANTY – PLEASE SEE SECTION 13 FOR FURTHER INFORMATION.

PAYMENT TERMS ARE 30 DAY MONTHLY ACCOUNT, I.E. INVOICES RAISED BY THE SUPPLIER IN MONTH ONE SHOULD BE SETTLED IN FULL BY THE END OF MONTH TWO.

ALL PRICES & SPECIFICATION CONTAINED IN THIS PRICELIST ARE SUBJECT TO CHANGE & MODIFICATION WITHOUT NOTICE.

SALE OR RETURN

SCALES REQUESTED FOR DEMONSTRATION PURPOSES REQUIRE AN OFFICIAL ORDER TO THE SUPPLIER FROM THE CUSTOMER AT THAT TIME. AN INVOICE WILL BE RAISED AGAINST IT UNDER OUR STANDARD PAYMENT TERMS. IF THE GOODS ARE NOT SOLD, A CREDIT NOTE WILL BE ISSUED, IN FULL, ON THEIR RETURN, AT THE CUSTOMER'S EXPENSE, (COMPLETE WITH COVERING PAPERWORK FROM THE CUSTOMER). THE GOODS ARE TO BE RETURNED TO THE SUPPLIER IN AN "AS NEW" CONDITION COMPLETE WITH ALL ORIGINAL PACKAGING, POWER SUPPLIES, MANUALS ETC. ANY SHORTAGES OR DAMAGE WILL BE CHARGED FOR IN FULL.

HIRE

GOODS SUPPLIED ON HIRE ARE DONE SO AT THE CUSTOMER'S RISK. ANY LOSSES OR DAMAGE CAUSED WHILE ON HIRE WILL BE CHARGED FOR IN FULL. GOODS MUST BE AVAILABLE FOR RETURN OR COLLECTION AT THE END OF THE AGREED HIRE PERIOD. IF NOT AVAILABLE THEY WILL BE SUBJECT TO FURTHER HIRE CHARGES UNTIL THEY BECOME SO.

SOFTWARE

SOFTWARE WILL BE SUPPLIED TO SPECIFICATION AGREED BETWEEN STRINGER & CO, THE CUSTOMER AND THE END-USER (IF DIFFERENT). ANY MODIFICATION REQUESTED AFTER ACCEPTANCE OF A COMPLETE SYSTEM OR ANY DEMONSTRATION/TRAIL VERSION WILL BE CHARGEABLE.

INTELLECTUAL PROPERTY RIGHTS WILL BELONG TO THE SUPPLIER. SOFTWARE IS PROVIDED "AS IS" AND STRINGER & CO GRANTS NO WARRANTIES, EXPRESSED OR IMPLIED – IT IS THE RESPONSIBILITY OF THE CUSTOMER AND/OR END-USER TO TEST THE SOFTWARE AND ENSURE IT SATISFIES ALL REQUIREMENTS. STRINGER & CO WILL NOT BE LIABLE FOR ANY DAMAGES INCLUDING ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR FAILURE OF THE SOFTWARE. IT IS THE RESPONSIBILITY OF THE CUSTOMER AND/OR END-USER TO PUT IN PLACE CONTINGENCY PLANS AND SYSTEMS.

SUPPORT FOR ANY SYSTEMS AFTER THE WARRANTY PERIOD WILL BE CHARGEABLE WHETHER SUPPLIED REMOTELY BY EMAIL/TELEPHONE, EQUIPMENT RETURNED TO THE SUPPLIER OR SITE VISIT.


WEEE REGULATIONS

AS PART OF OUR TERMS AND CONDITIONS THE CUSTOMER WILL BE RESPONSIBLE FOR ALL DISPOSAL OBLIGATIONS UNDER THE WEEE REGULATIONS. OUR WEEE REGISTRATION NO. IS WEE/KD0075UR.






Section 1	BENCH SCALES
1.1	Standard Compact Bench Scales
1.2	Stainless Steel Compact Bench Scales
1.3	Bench Scale - Separates
1.4	Bench Scales - Composite
Section 2	FLOOR SCALES
2.1	Floor Scales - Complete
2.2	Floor Scales - Composite
Section 3	COUNTING SCALES
3.1	Bench Parts Counting Scales
3.2	Bench Coin Counting Scales
3.3	Floor Counting Scales
Section 4	RETAIL SCALES
4.1	Retail Scales
Section 5	PRECISION SCALES
5.1	Budget Lab Balances
5.2	Standard Lab Balances
5.3	High Capacity Precision Balances
5.4	Moisture Analysers
Section 6	VETERINARY & LIVESTOCK SCALES
6.1	Veterinary & Livestock Scales
Section 7	CRANE SCALES
7.1	Hanging Scales
7.2	Crane Scales
7.3	Dynamometers and Force Gauges
Section 8	PLATFORMS, WEIGHBEAMS & BASES
8.1	Mild Steel Platforms and Weighbeams
8.2	Stainless Steel Platforms and Weighbeams
8.3	Pallet Truck Scales
8.4	Mild Steel Bases
8.5	Stainless Steel Bases
8.6	Mild Steel Composite Platforms
8.7	Stainless Steel Composite Platforms
Section 9	INDICATORS
9.1	Multi-functional Indicators
9.2	Parts Counting Indicators
Section 10	INDUSTRIAL AND PROGRAMMABLE CONTROLLERS
10.1	Industrial Controllers
10.2	Programmable Controllers
10.3	Hazardous Area Controllers
Section 11	PRINTERS & PERIPHERALS
11.1	Line Printers
11.2	Label Printers
11.3	Remote Displays
11.4	Interface Hardware
11.5	Scanners
Section 12	LOAD CELLS & JUNCTION BOXES
Section 13	WEIGHTS – Brass, Iron, Boxes, Slotted, Block, OIML
13.1	Individual Weights
13.2	Boxes for Weights
13.3	Slotted and Blocks Weights
13.4	Individual and Boxed Sets of Stainless Steel Weights
13.5	OIML R111 & Trade Adjusted Maximum Permissible Errors
13.6	Composition of Weight Sets
Section 14	STAMPING FEES, CERTIFICATION & DELIVERY
Section 15	SPARES

Icon Legend






Approval

 Approved machine, can be EC verified
Stamping fees extra unless stated

Power Supply

-  External power adaptor
-  Disposable batteries
-  Rechargeable battery including average usage time (where available)
120 HRS
-  Mains power with voltage requirements
110/230V
-  DC power supply input


Display

-  LCD display with digit height in mm
-  Backlit LCD display with digit height in mm
-  LED display with digit height in mm
-  Extended display capability
x10
-  Colour changing backlight




















IP Rating

 IP rating
65

ATEX

 ATEX rating showing gas and dust zones
0/20 Ex

Functions

-  Tuning fork sensor
-  Counting scale with three displays
-  RS232
-  Ethernet
-  USB
-  Bluetooth
-  PLU
5/99 Product look up function with number of hotshots and PLUs
-  lbs Additional weighing units, decimal lbs (not available for stamped machines)
-  lbs ozs Additional weighing units, lbs and ozs (not available for stamped machines)
-  Checkweighing or check counting function
-  Checkweighing or check counting function with audible alarm
-  Counting function
-  Totalising
-  Percentage weighing
-  Animal weighing / hold function
-  Density measurement
-  Underweighing capability
-  Internal calibration
-  Dust cover

IP Ratings

Level	First Numeral Protection Against Solids	Second Numeral Protection Against Liquids
1	Objects greater than 50 mm	Dripping water
2	Objects greater than 12 mm	Dripping water on enclosure tilted up to 15°
3	Objects greater than 2.5 mm	Spraying water up to 60° from both sides
4	Objects greater than 1.0 mm	Splashing water from all sides
5	Dust protected	Water jets
6	Dust tight	Heavy seas or powerful jets of water
7		Short term immersion
8		Submersion
9K		High-temperature, high-pressure spray

SECTION 1.1 STANDARD COMPACT BENCH SCALES

1.1.1 KAIN CHUNG TK



TOP LOADING DIAL SCALE

- Simple mechanical dial scale.
- Metal housing and heavy duty construction.
- Rack & pinion movement.

MODEL	CAPACITY kg	DIVISION g	PLATE mm	DIAL Ø mm	PRICE £
T-2K	2	10	229 x 225	125	95.00
T-5K	5	20		170	95.00
T-10K	10	50			95.00
T-20K	20	100	270 x 270		95.00
T-25K	25	50	310 x 310	200	135.00
T-50K	50	200	328 x 328	250	155.00

1.1.2 OHAUS VALOR 1000 SERIES



USER FRIENDLY BENCH SCALE

- ABS housing with stainless steel goods plate.
- Carry handle.
- Easy two-button operation



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
V12P3	3	0.5	245 x 190	173.00
V12P6	6	1		173.00
V12P15	15	2		173.00
V12P30	30	5		173.00
EXTRAS	Adapter and power plug			39.00
	Rechargeable battery kit			49.00
	In-use cover			13.00

1.1.3 UWE AQM SERIES



COMPACT BENCH SCALE

While stocks last



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
AQM-1500	1.5	0.2	200 x 170	195.00
AQM-3000	3	0.5		195.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

1.1.4 UWE VGW SERIES




APPROVED BENCH SCALE WITH COLOUR CHANGING BACK LIGHT

- Platter with stainless steel insert.
- Memory accumulation function.
- Three colour backlight for checkweighing.



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
VGW-1.5	1.5	0.5	250 x 230	225.00
VGW-3	3	1		225.00
VGW-6	6	2		225.00
VGW-15	15	5		225.00

1.1.5 SANDCO HF12 SERIES



MULTI-PURPOSE BENCH AND FLOOR SCALE

- ABS indicator housing, die cast sub-frame with stainless steel goods plate.
- Date and time.
- Label printing functionality.



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
HF12-BX6	6	1	400 x 300	330.00
HF12-BX15	15	2		330.00
HF12-BX30	30	5		330.00

1.1.6 PRIS JS-ER SERIES



HIGH RESOLUTION BENCH SCALE

- 600,000 internal resolution.
- 30,000 displayed resolution.
- Other capacities available.



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
JS-03ER	3	0.1	280 x 220	245.00
JS-30ER	30	1		245.00

1.1.7 PRIS EW200 SERIES



APPROVED BENCH SCALE

- Dual range.
- Front and rear displays.



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
EW200-03	3	0.5/1	280 x 220	245.00
EW200-06	6	1/2		245.00
EW200-15	15	2/5		245.00
EW200-30	30	5/10		245.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

1.1.8 WHITE BIRD W31 SERIES



APPROVED IP65 BENCH SCALE WITH COLOUR CHANGING BACKLIGHT

- Colour changing backlight ideal for checkweighing functions.
- ABS housing.
- W31H – High Resolution non-approved version.
- Multiple print formats.



MODEL	CAPACITY kg	RECOMMENDED NON-APPROVED DIVISION g	APPROVED DIVISION g	PLATE mm	PRICE £
W31-3	3	0.5	1	240 x 200	245.00
W31-6	6	1	2		245.00
W31-15	15	2	5		245.00
W31H-3	3	0.1	n/a		295.00
W31H-6	6	0.2	n/a		295.00
W31H-15	15	0.5	n/a		295.00

1.1.9 UWE VOW SERIES



APPROVED BENCH SCALE WITH COLOUR CHANGING BACK LIGHT

- Platter with stainless steel insert.
- Memory accumulation function.
- Three colour backlight for checkweighing.



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
VOW-3	3	1	320 x 225	295.00
VOW-6	6	2		295.00
VOW-15	15	5		295.00
VOW-30	30	10		295.00

1.1.10 WHITE BIRD I10A-PMX SERIES



APPROVED BENCH AND FLOOR SCALE

While stocks last

- Mild steel base and stainless steel goods plate.
- ABS indicator housing.
- Up to 30,000 divisions resolution.
- 400mm column on P & B sizes



MODEL	CAPACITY kg	RECOMMENDED NON-APPROVED DIVISION g	APPROVED DIVISION g	PLATE mm	PRICE £
I10A-P6	6	1	2	300 x 300	275.00
I10A-P15	15	2	5		275.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

1.1.11 OHAUS RANGER 3000 SERIES



APPROVED COMPACT BENCH SCALE

- ABS plastic with stainless steel plate.
- Optional USB, Ethernet interface or 2nd RS232
- Dynamic weighing function.
- Transportation handle and integral under-weighing hook.
- **Stamping fee included.**



OPTIONAL

MODEL	CAPACITY kg	RECOMMENDED NON-APPROVED DIVISION g	APPROVED DIVISION g	PLATE mm	PRICE £
R31P1502-M	1.5	0.5	0.5	300 x 225	625.00
R31P3-M	3	1	1		625.00
R31P6-M	6	2	2		625.00
R31P15-M	15	5	5		625.00
R31P30-M	30	10	10		625.00
EXTRAS	2 nd RS232 Interface Kit				62.00
	USB Interface Kit				68.00
	Ethernet Interface Kit				105.00
	Dust Covers (5 pieces)				89.00

1.1.12 OHAUS RANGER 4000 SERIES



APPROVED MULTI-PURPOSE STURDY BALANCE

- Cast aluminium housing with stainless steel plate.
- White LED display with colour checkweighing LEDs.
- Integral underweighing hook.
- **Stamping fee included.**



OPTIONAL

MODEL	CAPACITY kg	RECOMMENDED NON-APPROVED DIVISION g	APPROVED DIVISION g	PLATE mm	PRICE £
R41ME3-M	3	1	1	300 x 225	800.00
R41ME6-M	6	2	2		800.00
R41ME15-M	15	5	5		800.00
R41ME30-M	30	10	10		800.00
EXTRAS	Second RS232 Interface Kit				62.00
	USB Interface Kit				68.00
	Ethernet Interface Kit				105.00
	Dust Covers (5 pieces)				89.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

SECTION 1.2 STAINLESS STEEL COMPACT BENCH SCALES

1.2.1 FURI WPS SERIES



- IP65 RATED PORTION SCALE
- Stainless steel top housing.



MODEL	CAPACITY g	DIVISION g	PLATE mm	PRICE £
WPS-3000	3000	0.5	210 x 160	195.00
WPS-6000	6000	1		195.00

1.2.2 SANDCO SUPER-SS 5 SERIES



- IP68 STAINLESS STEEL SCALE WITH REAR DISPLAY
- Selectable resolution up to 1:15,000.
 - Rear display can be disabled.



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
SS-5-1.5	1.5	0.2	225 x 190	225.00
SS-5-3	3	0.5		225.00
SS-5-7.5	7.5	1		225.00
SS-5-15	15	2		225.00
SS-5-30	30	5		225.00
EXTRAS	110V PSU			30.00

1.2.3 OHAUS VALOR 2000 SERIES



- IP68 STAINLESS STEEL BENCH SCALE
- Rear LED display.
 - Polycarbonate keypad that can endure contact with knives and sharp instruments.



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
V22XWE1501T	1.5	0.2	242 x 190	331.00
V22XWE3T	3	0.5		331.00
V22XWE6T	6	1		331.00
V22XWE15T	15	2		331.00
V22XWE30T	30	5		331.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

1.2.4 TOMS PWT-MR SERIES



APPROVED STAINLESS STEEL IP68 BENCH SCALE

While stocks last

- Dual range.
- Front and rear displays.



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
PWT-3K-MR	3	0.5/1	225 x 185	295.00
PWT-30K-MR	30	5/10		295.00

1.2.5 WHITE BIRD W31S SERIES



APPROVED IP65 STAINLESS STEEL BENCH SCALE WITH COLOUR CHANGING BACKLIGHT

- Colour changing backlight ideal for checkweighing functions.
- Stainless steel top housing and ABS bottom housing.
- W31SH – High Resolution non-approved version.
- Multiple print formats.




MODEL	CAPACITY kg	RECOMMENDED NON-APPROVED DIVISION g	APPROVED DIVISION g	PLATE mm	PRICE £
W31S-3	3	0.5	1	240 x 200	295.00
W31S-6	6	1	2		295.00
W31S-15	15	2	5		295.00
W31SH-3	3	0.1	n/a		345.00
W31SH-6	6	0.2	n/a		345.00
W31SH-15	15	0.5	n/a		345.00

1.2.6 WHITE BIRD I10S-SA SERIES



APPROVED IP67 STAINLESS STEEL SCALE WITH COLOUR CHANGING BACKLIGHT

- Stainless steel indicator, base and column, and load cell.
- Selectable resolution up to 1:30,000.
- Pole height: 250mm.
- Other capacities available.



MODEL	CAPACITY kg	RECOMMENDED NON-APPROVED DIVISION g	APPROVED DIVISION g	PLATE mm	PRICE £
I10S-SA-3	3	0.5	1	230 x 230	495.00
I10S-SA-6	6	1	2		495.00
I10S-SA-15	15	2	5		495.00
EXTRAS	Amphenol connectors				50.00
	Blue (240v) or yellow (110v) round plug				20.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

1.2.7 OHAUS VALOR 4000 SERIES



IP68 APPROVED STAINLESS STEEL BENCH SCALE

- Rear LED display.
- Polycarbonate keypad that can endure contact with knives and sharp instruments.
- Touchless sensor for tare function.
- **Stamping fee included.**



MODEL	CAPACITY kg	RECOMMENDED NON-APPROVED DIVISION g	APPROVED DIVISION g	PLATE mm	PRICE £
V41XWE1501T-M	1.5	0.5	0.5	242 x 190	585.00
V41XWE3T-M	3	1	1		585.00
V41XWE6T-M	6	2	2		585.00
V41XWE15T-M	15	5	5		585.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

SECTION 1.3 BENCH SCALES - SEPARATES

1.3.1 UWE W55 SERIES



APPROVED BENCH SCALE WITH REMOVABLE DISPLAY

- Stainless steel goods plate. Built in handle.
- Large wide angle LCD display.
- Three colour backlight for checkweighing applications.



MODEL	CAPACITY kg	RECOMMENDED NON-APPROVED DIVISION g	APPROVED DIVISION g	PLATE mm	PRICE £
W55-15	15	2	5	330 x 280	295.00
W55-30	30	5	10		295.00
W55-60	60	10	20		295.00

1.3.2 UWE VBM SERIES



APPROVED BENCH SCALE WITH POLE MOUNTED DISPLAY

- Pole height: 340mm.
- Displayed resolution 1:3,000 if stamped otherwise selectable up to 1:30,000 resolution.



MODEL	CAPACITY kg	RECOMMENDED NON-APPROVED DIVISION g	APPROVED DIVISION g	PLATE mm	PRICE £
VBM-BX6	6	1	2	400 x 300	395.00
VBM-BX15	15	2	5		395.00
VBM-BX30	30	5	10		395.00

1.3.3 OHAUS RANGER 7000 SERIES



APPROVED COMPACT BENCH SCALE WITH COLOUR GRAPHICAL DISPLAY

- Stainless steel platform with die cast housing.
- Real time clock.
- USB and optional 2nd RS232 output. Optional column.
- **Stamping fee included.**



MODEL	CAPACITY kg	RECOMMENDED NON-APPROVED DIVISION g	APPROVED DIVISION g	PLATE mm	PRICE £
R71MD3-GB-M	3	0.5	0.5	280 x 280	1355.00
R71MD6-GB-M	6	1	1		1355.00
R71MD15-GB-M	15	2	2	377 x 311	1500.00
R71MD35-GB-M	35	5	5		1500.00
R71MD60-GB-M	60	10	10	240 x 240	1550.00
R71MHD3-GB-M	3	0.1	0.1		3660.00
R71MHD6-GB-M	6	0.2	0.2	377 x 311	3660.00
R71MHD15-GB-M	15	1	1		4355.00
R71MHD35-GB-M	35	1	1	4585.00	
EXTRAS	2 nd RS232 Kit				62.00
	Ethernet Interface Kit				105.00
	Dust Cover				26.00
	Alibi Memory				56.00
	Column Kit 400mm - painted				86.00
Rechargeable Battery				235.00	










Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

SECTION 1.4 COMPOSITE BENCH SCALES

1.4.1 COMPOSITE BENCH SCALES – ABS INDICATORS

For detailed specifications please refer to the individual indicators and bases
 For column-mounted indicators please add the cost of the bracket and specify at the time of order


















Indicators	Model	IP rating Approved	Bracket	Bases									
				Model	BX	FX	SA	SAX	SPX	SBX	SFX		
				Capacity	6 - 30	30	3 - 15	6-30	6 - 30	6 - 30	30		
Size [mm]	400x300	500x400	230x230	300x300	300x300	400x300	500x400						
Material	MS	MS	SS	SS	SS	SS	SS						
IP rating	IP65	IP65	IP67	IP67	IP65	IP67	IP69						
Price	165.00	215.00	245.00	295.00	245.00	345.00	445.00						
	HEAVYE HF12		25.00	125.00	290.00	340.00	370.00	420.00	370.00	470.00	570.00		
	WHITE BIRD I10A	M	0.00	155.00	320.00	370.00	400.00	450.00	400.00	500.00	600.00		
	UWE VBM	M	25.00	255.00	420.00	470.00	500.00	550.00	500.00	600.00	700.00		
	OHAUS i-DT33P	M	20.00	235.00	400.00	450.00	480.00	530.00	480.00	580.00	680.00		
	FM 19i	M	25.00	235.00	400.00	450.00	480.00	530.00	480.00	580.00	680.00		
	UWE W22		25.00	385.00	550.00	600.00	630.00	680.00	630.00	730.00	830.00		
	UWE W22P		25.00	550.00	715.00	765.00	795.00	845.00	795.00	895.00	995.00		
	OHAUS TD52P	M	0.00	600.00	765.00	815.00	845.00	895.00	845.00	945.00	1045.00		
	UWE APC	M	25.00	295.00	460.00	510.00	540.00	590.00	540.00	640.00	740.00		
	RINSTRUM X320	IP69 M	45.00	740.00	905.00	955.00	985.00	1035.00	985.00	1085.00	1185.00		

Prices exclude delivery, VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

1.4.2 COMPOSITE BENCH SCALES – STAINLESS STEEL INDICATORS

For detailed specifications please refer to the individual indicators and bases
 For column-mounted indicators please add the cost of the bracket and specify at the time of order

				Bases							
											
Indicators	Model	IP rating Approved	Bracket	Model Capacity	BX 6 - 30	FX 30	SA 3 - 15	SAX 6-30	SPX 6 - 30	SBX 6 - 30	SFX 30
				Size [mm]	400x300	500x400	230x230	300x300	300x300	400x300	500x400
				Material	MS	MS	SS	SS	SS	SS	SS
				IP rating	IP65	IP65	IP67	IP67	IP65	IP67	IP69
				Price	165.00	215.00	245.00	295.00	245.00	345.00	445.00
	HEAVYE HF-22C	IP67	25.00	195.00	360.00	410.00	440.00	490.00	440.00	540.00	640.00
	HEAVYE HF-22E	IP67	25.00	195.00	360.00	410.00	440.00	490.00	440.00	540.00	640.00
	OHAUS i-DT33XW	IP66 M	20.00	367.00	532.00	582.00	612.00	662.00	612.00	712.00	812.00
	WHITE BIRD I10S	IP66 M	0.00	225.00	390.00	440.00	470.00	520.00	470.00	570.00	670.00
	WHITE BIRD I10B	IP67 M	25.00	255.00	420.00	470.00	500.00	550.00	500.00	600.00	700.00
	UWE WSK	IP67	25.00	325.00	490.00	540.00	570.00	620.00	570.00	670.00	770.00
	OHAUS TD52XW	IP68 M	0.00	810.00	975.00	1025.00	1055.00	1105.00	1055.00	1155.00	1255.00
	OHAUS T72XW	IP66 M	0.00	900.00	1065.00	1115.00	1145.00	1195.00	1145.00	1245.00	1345.00
	SYSTEC IT1	IP69 M	25.00	655.00	820.00	870.00	900.00	950.00	900.00	1000.00	1100.00
	SYSTEC IT3	IP69 M	25.00	1100.00	1265.00	1315.00	1345.00	1395.00	1345.00	1445.00	1545.00

Prices exclude delivery, VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

SECTION 2.1 FLOOR SCALES - COMPLETE

2.1.1 FURI FCS-A SERIES



BENCH OR FLOOR SCALE WITH REMOTE INDICATOR

- Wall bracket as standard
- Four load cell base.



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
FCS-A-30	30	10	330 x 310	99.00
FCS-A-150	150	50		99.00
EXTRAS	Carry case			30.00

2.1.2 UWE W55 SERIES



APPROVED SCALE WITH REMOVABLE DISPLAY

- Stainless steel goods plate. Built in handle.
- Large wide angle LCD display.
- Three colour backlight for checkweighing applications.



MODEL	CAPACITY kg	RECOMMENDED NON-APPROVED DIVISION g	APPROVED DIVISION g	PLATE mm	PRICE £
W55-30	30	5	10	330 x 280	295.00
W55-60	60	10	20		295.00
W55-150	150	20	50		295.00

2.1.3 WHITE BIRD I10B-SXX B /F/ L SERIES



APPROVED IP67 STAINLESS STEEL SCALE WITH COLOUR CHANGING BACKLIGHT

- Stainless steel indicator, base and column, encapsulated aluminium load cell.
- Selectable resolution up to 1:30,000.
- Pole height: 600mm. Other capacities available.




MODEL	CAPACITY kg	RECOMMENDED NON-APPROVED DIVISION g	APPROVED DIVISION g	PLATE mm	PRICE £
I10B-SXX-B15	15	2	5	450 x 350	495.00
I10B-SXX-B30	30	5	10		495.00
I10B-SXX-F30	30	5	10	500 x 400	545.00
I10B-SXX-F60	60	10	20		545.00
I10B-SXX-F150	150	20	50		545.00
EXTRAS	Amphenol connectors				50.00
	Blue (240v) or yellow (110v) round plug				20.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

2.1.4 SANDCO HF12 SERIES



MULTI-PURPOSE BENCH AND FLOOR SCALE

- ABS indicator housing, die cast sub-frame with stainless steel goods plate.
- Date and time.
- Label printing functionality.



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
HF12-FX30	30	5	500 x 400	380.00
HF12-FX60	60	10		380.00
HF12-FX150	150	20		380.00
HF12-FX300	300	50		380.00
HF12-LX60	60	10	600 x 500	440.00
HF12-LX150	150	20		440.00
HF12-LX300	300	50		440.00
HF12-XLX60	60	10	800 x 600	550.00
HF12-XLX150	150	20		550.00
HF12-XLX300	300	50		550.00

2.1.5 UWE VFS SERIES



APPROVED STAINLESS STEEL SCALE WITH LARGE DIGIT DISPLAY

- Displayed resolution 1:3,000 if stamped otherwise dual range and selectable up to 1:30,000.
- Indicator IP65. IP65 aluminium load cell.
- Pillar height: 600mm.



MODEL	CAPACITY kg	RECOMMENDED NON-APPROVED DIVISION g	APPROVED DIVISION g	PLATE mm	PRICE £
VFS-60K	60	10	20	525 x 425	775.00
VFS-150K	150	20	50		775.00
VFS-300K	300	50	100		775.00

2.1.6 UWE VBM SERIES



APPROVED FLOOR SCALE WITH LARGE DIGIT DISPLAY

- Pole height: 520mm.
- Displayed resolution 1:3,000 if stamped otherwise selectable up to 1:30,000 resolution.
- XL size pallet delivery only.



MODEL	CAPACITY kg	RECOMMENDED NON-APPROVED DIVISION g	APPROVED DIVISION g	PLATE mm	PRICE £
VBM-30	30	5	10	450 x 330	460.00
VBM-60	60	10	20		460.00
VBM-150	150	20	50		460.00
VBM-FX30	30	5	10	500 x 400	490.00
VBM-FX60	60	10	20		490.00
VBM-FX150	150	20	50		490.00
VBM-FX300	300	50	100		490.00
VBM-LX60	60	10	20	600 x 500	560.00
VBM-LX150	150	20	50		560.00
VBM-XL300	300	50	100		560.00
VBM-XLX60	60	10	20	800 x 600	720.00
VBM-XLX150	150	20	50		720.00
VBM-XLX300	300	50	100		720.00
EXTRAS	500 x 500mm Back Rail				95.00












Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

SECTION 2.2 COMPOSITE FLOOR SCALES

2.2.1 COMPOSITE FLOOR SCALES – ABS INDICATORS

For detailed specifications please refer to the individual indicators and bases
 For column-mounted indicators please add the cost of the bracket and specify at the time of order













Indicators	Model	IP rating Approved	Bracket	Bases						
										
				Model	FX	LX	XLX	SFX	SLX	SXLX
				Capacity	30 - 300	60 - 300	60 - 300	30 - 150	60 - 300	150 - 300
Size [mm]	500x400	600x500	800x600	500x400	600x500	800x600				
Material	MS	MS	MS	SS	SS	SS				
IP rating	IP65	IP65	IP65	IP69	IP69	IP69				
Price	215.00	275.00	325.00	445.00	545.00	645.00				
	HEAVYE HF12		25.00	125.00	340.00	400.00	450.00	570.00	670.00	770.00
	WHITE BIRD I10A	M	0.00	155.00	370.00	430.00	480.00	600.00	700.00	800.00
	UWE VBM	M	25.00	255.00	470.00	530.00	580.00	700.00	800.00	900.00
	OHAUS i-DT33P	M	20.00	235.00	450.00	510.00	560.00	680.00	780.00	880.00
	FM 19i	M	25.00	235.00	450.00	510.00	560.00	680.00	780.00	880.00
	UWE W22		25.00	385.00	600.00	660.00	710.00	830.00	930.00	1030.00
	UWE W22P		25.00	550.00	765.00	825.00	875.00	995.00	1095.00	1195.00
	OHAUS TD52P	M	0.00	600.00	815.00	875.00	925.00	1045.00	1145.00	1245.00
	UWE APC	M	25.00	295.00	510.00	570.00	620.00	740.00	840.00	940.00
	RINSTRUM X320	IP69 M	45.00	740.00	955.00	1015.00	1065.00	1185.00	1285.00	1385.00

Prices exclude delivery, VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

2.2.2 COMPOSITE FLOOR SCALES – STAINLESS STEEL INDICATORS

For detailed specifications please refer to the individual indicators and bases
 For column-mounted indicators please add the cost of the bracket and specify at the time of order

					Bases						
											
					Model Capacity	FX 30 - 300	LX 60 - 300	XLX 60 - 300	SFX 30 - 300	SLX 60 - 300	SXLX 60 - 300
Indicators	Model	IP rating Approved	Bracket	Size [mm]	500x400	600x500	800x600	500x400	600x500	800x600	
				Material	MS	MS	MS	SS	SS	SS	
					IP rating	IP65	IP65	IP65	IP69	IP69	IP69
					Price	215.00	275.00	325.00	445.00	545.00	645.00
	HEAVYE HF-22C	IP67	25.00	195.00	410.00	470.00	520.00	640.00	740.00	840.00	
	HEAVYE HF-22E	IP67	25.00	195.00	410.00	470.00	520.00	640.00	740.00	840.00	
	OHAUS i-DT33XW	IP66 M	20.00	367.00	582.00	642.00	692.00	812.00	912.00	1012.00	
	WHITE BIRD I10S	IP66 M	0.00	225.00	440.00	500.00	550.00	670.00	770.00	870.00	
	WHITE BIRD I10B	IP67 M	25.00	225.00	470.00	530.00	580.00	700.00	800.00	900.00	
	UWE WSK	IP67	25.00	325.00	540.00	600.00	650.00	770.00	870.00	970.00	
	OHAUS TD52XW	IP68 M	0.00	810.00	1025.00	1085.00	1135.00	1255.00	1355.00	1455.00	
	OHAUS T72XW	IP66 M	0.00	900.00	1115.00	1175.00	1225.00	1345.00	1445.00	1545.00	
	SYSTEC IT1	IP69 M	25.00	655.00	870.00	930.00	980.00	1100.00	1200.00	1300.00	
	SYSTEC IT3	IP69 M	25.00	1100.00	1315.00	1375.00	1425.00	1545.00	1645.00	1745.00	

Prices exclude delivery, VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

SECTION 3.1 BENCH PARTS COUNTING SCALES

3.1.1 PRIS JS-DR SERIES



HIGH RESOLUTION COUNTING SCALE

- 600,000 internal resolution.
- 30,000 displayed resolution.



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
JS-01DR	1.5	0.05	280 x 220	225.00
JS-03DR	3	0.1		225.00
JS-06DR	6	0.2		225.00
JS-15DR	15	0.5		225.00
JS-30DR	30	1		225.00

3.1.2 TOMS SCT SERIES



HIGH RESOLUTION PARTS COUNTING SCALE

While stocks last

- Backlit blue LCD



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
SCT-3K	3	0.1	290 x 210	215.00
SCT-6K	6	0.2		215.00
SCT-15K	15	0.5		215.00
SCT-30K	30	1.0		215.00

3.1.3 UWE SHC SERIES



HIGH PRECISION COUNTING SCALE

- Internal Resolution 1:1,000,000. Displayed resolution 1:30,000.



MODEL	CAPACITY kg	DIVISION g	COUNTING RESOLUTION g	PLATE mm	PRICE £
SHC-1.5C	1.5	0.05	0.0015	292 x 180	250.00
SHC-3C	3	0.1	0.003		250.00
SHC-6C	6	0.2	0.006	345 x 230	250.00
SHC-15C	15	0.5	0.015		250.00
SHC-30C	30	1	0.03		250.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

3.1.4 UWE SAC SERIES



HIGH PRECISION COUNTING SCALE WITH TRIPLE RANGE

- Internal resolution 1:1,000,000.



MODEL	CAPACITY kg	DIVISION g	COUNTING RESOLUTION g	PLATE mm	PRICE £
SAC-7.5C	1.5/3/7.5	0.1/0.2/0.5	0.01	345 x 230	275.00
SAC-15C	3/7.5/15	0.2/0.5/1	0.02		275.00
SAC-30C	7.5/15/30	0.5/1/2	0.05		275.00

3.1.5 FURI SCT SERIES



HIGH RESOLUTION COUNTING SCALE

- 1,300,000 internal resolution
- Full numeric keyboard.
- Low sample and piece weight warning.



MODEL	CAPACITY g	DIVISION g	PLATE mm	PRICE £
SCT-600	600	0.01	135 x 120	275.00
SCT-1200	1200	0.02		275.00

3.1.6 KERN CFS SERIES



DUAL COUNTING SCALE

- 1:1,200,000 internal resolution.
- Second scale input.
- Alphanumeric product codes.



MODEL	CAPACITY kg	DIVISION g	COUNTING RESOLUTION g	PLATE mm	PRICE £
CFS 6K0.1	6	0.1	0.100	320 x 230	380.00
CFS 15K0.2	15	0.2	0.250	320 x 230	380.00
CFS 30K0.5	30	0.5	0.500	320 x 230	380.00
EXTRAS	Rechargeable battery				45.00

SECTION 3.2 BENCH COIN COUNTING SCALES

3.2.1 UWE JCK



EURO / STERLING COIN CHECKER

While stocks last

- Optional plastic coin scoop.
- 4 backlit LCD displays showing weight, coin denomination, value total.
- Selectable euro or sterling mode.



MODEL	CAPACITY g	DIVISION g	COUNTING RESOLUTION g	PLATE mm	PRICE £
JCK-3000	3000	1	1 coin	170 x 140	195.00
EXTRAS	Plastic Coin Scoop				40.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

3.2.2 PRIS JS-MSR SERIES



COIN COUNTING SCALE

- Preset with Sterling coin weights.
- Additional set of PLUs available.



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
JS-30MSR	30	1	300 x 220	275.00

SECTION 3.3 FLOOR COUNTING SCALES

3.3.1 UWE APC SERIES



UWE APC-B



UWE APC-F/L/XL

APPROVED COUNTING SCALE IN A VARIETY OF FORMATS

- Internal resolution 1:190,000. Displayed resolution 1:3,000 if stamped otherwise dual range up to 1;6,000 resolution available.
- 8 piece weight memories. Dual range available in non-stamped models.
- Column heights: B: 460mm F & L: 650mm
- XL size pallet delivery only.



MODEL	CAPACITY kg	DIVISION g	APPROVED RESOLUTION g	PLATE mm	PRICE £
APC-B30	30	2	10	450 x 330	435.00
APC-B60	60	5	20		435.00
APC-B150	150	10	50		435.00
APC-F60	60	5	20	520 x 420	495.00
APC-F150	150	10	50		495.00
APC-LX150	150	10	50	600 x 500	585.00
APC-LX300	300	20	100		585.00
APC-XLX60	60	5	20	800 x 600	745.00
APC-XLX150	150	10	50		745.00
APC-XLX300	300	20	100		745.00
EXTRAS	500 x 500mm Back Rail				95.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

SECTION 4.1 RETAIL SCALES

4.1.1 PRIS EP-210 SERIES



- APPROVED RETAIL SCALE
- Dual range.
 - Price per kg and per 100g.
 - Front and rear displays.
 - 999 item memory.
 - Optional scoop fitting.
 - **Stamping fees included.**



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
EP-210-3	3	0.5/1	280 x 220	225.00
EP-210-6	6	1/2		225.00
EP-210-15	15	2/5		225.00
EP-210-15P	15	2/5		245.00
EP-210-30P	30	5/10		245.00
EXTRAS	Scoop kit			80.00

4.1.2 UWE ASEP & ASEP-P SERIES



- GENERAL PURPOSE APPROVED RETAIL SCALE
- ASEP-P has swivel type one-sided pole mounted display & card in sleeve on reverse of head-up display for PLU details.
 - Following only operational when printer attached: accumulation & calculator function, M+, MR, MC and data recall for weighing & printing of transactions. For weighed & non-weighed articles.
 - Price per kg only.
 - Pole height: 255mm.
 - Optional scoop fitting.
 - **Stamping fee included.**



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
ASEP-15	6/15	2/5	350 x 280	320.00
ASEP-30	15/30	5/10		320.00
ASEP-15P	6/15	2/5		350.00
ASEP-30P	15/30	5/10		350.00
EXTRAS	Scoop kit			80.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

SECTION 5.1 BUDGET LAB BALANCES

5.1.1 FURI FRH SERIES



LOW COST BALANCE

- High and medium resolution models.
- 16 weighing units including dwt, ozt, ct and gn.
- Draft shield on 600g capacities.



MODEL	CAPACITY g	DIVISION g	PLATE mm	PRICE £
FRH-600H	600	0.01	115 dia	215.00
FRH-6000H	6000	0.1	180 x 170	215.00
FRH-600L	600	0.1	115 dia	155.00
FRH-6000L	6000	1	180 x 170	155.00

5.1.2 PRIS HT-FW SERIES



IP65 HIGH RESOLUTION VERSATILE BALANCE WITH DETACHABLE INDICATOR

- 600,000 internal resolution.
- Draft shield on both capacities.



MODEL	CAPACITY g	DIVISION g	PLATE mm	PRICE £
HT-300FW	300	0.01	110 dia	195.00
HT-3000FW	3000	0.1	145 x 120	195.00

5.1.3 PRIS HT-NA SERIES



CLASS II APPROVED MULTI-FUNCTIONAL BENCH SCALE

- 600,000 internal resolution.
- Multiple weighing units (non-approved).
- Grams and carats approved weighing units.
- Draft shield with capacities ≤ 3000g.
- Price includes full Class II factory verification. For Post Code specific verification see section 18.



MODEL	CAPACITY g	RECOMMENDED NON-APPROVED DIVISION g	APPROVED DIVISION g	PLATE mm	PRICE £
HT-600NA	600	0.01	0.1	116 dia	295.00
HT-1500NA	1500	0.02	0.2		295.00
HT-3000NA	3000	0.05	0.5		295.00
HT-6000NA	6000	0.1	1	280 x 220	295.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

5.1.4 KERN PCD SERIES



PRECISION BALANCE WITH REMOVABLE DISPLAY.

- Freely selectable weighing units.
- Recipe weighing function.
- Cable length to display 1.5m.



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
PCD 10K0.1	10	0.1	160 x 160	325.00
EXTRAS	Rechargeable battery			65.00

5.1.5 KERN PFB SERIES



HIGH RESOLUTION BALANCE WITH BAR GRAPH DISPLAY

- Draught shield supplied with PFB 300 & PFB 3000.



MODEL	CAPACITY g	DIVISION g	PLATE mm	PRICE £
PFB 300-3	300	0.001	80 dia	465.00
PFB 3000-2	3000	0.01	120 dia	410.00
PFB 6000-1	6000	0.1	155 x 145	335.00

SECTION 5.2 STANDARD LAB BALANCES

5.2.1 SHINKO SJ SERIES



COMPACT CLASS II APPROVED HIGH RESOLUTION BALANCE

- Mono-metal tuning-fork sensor (mmts) with 5 year warranty.
- Resolution up to 1:62,000. 20 step bar graph display.
- 10 weighing units including ct, dwt, ozt and gn.
- When e ≠ d machine not legal for direct sales to the public.



MODEL	CAPACITY g	DIVISION (d) g	APPROVED DIVISION (e) g	PLATE mm	PRICE £
SJ-220CE	220	0.01	0.01	140 dia	535.00
SJ-620CE	620	0.01	0.1	140 dia	535.00
SJ-2200CE	2200	0.1	0.1	180 x 160	535.00
SJ-6200CE	6200	0.1	1	180 x 160	535.00
SJ-12KCE	12000	1	1	180 x 160	535.00
EXTRAS	Built in Rechargeable Battery				115.00
	RS232				100.00
	Under-weighing Hook				30.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

5.2.2 SHINKO ALE SERIES



CLASS I & II APPROVED HIGH RESOLUTION BALANCE

- Tuning-fork frequency sensor.
- Resolution up to 1:1,200,000.
- Three configurable function keys.
- Windshield (as shown) standard on 1mg division models.
- When e ≠ d machine not legal for direct sales to the public.



MODEL	CAPACITY g	DIVISION (d) g	APPROVED DIVISION (e) g	PLATE mm	PRICE £
ALE-323	320	0.001	0.01	118 dia	775.00
ALE-623	620	0.001	0.01	118 dia	955.00
ALE-1502	1500	0.01	0.1	180 x 160	650.00
ALE-3202	3200	0.01	0.1	180 x 160	795.00
ALE-6202	6200	0.01	0.1	180 x 160	975.00
ALE-15001	15000	0.1	1	180 x 160	695.00
ALE-323R	320	0.001	0.01	118 dia	905.00
ALE-623R	620	0.001	0.01	118 dia	1081.00
ALE-1502R	1500	0.01	0.1	180 x 160	775.00
ALE-3202R	3200	0.01	0.1	180 x 160	925.00
ALE-6202R	6200	0.01	0.1	180 x 160	1110.00
ALE-15001R	15000	0.1	1	180 x 160	820.00
EXTRAS	Under-weighing Hook				30.00

5.2.3 SHINKO HTR SERIES



ANALYTICAL BALANCE

- 40 step bar graph display.
- Up to 1:2,200,000 resolution.
- Anti-electrostatic 360 degree transparent wind shield.
- Multiple weighing units including ct, dwt, ozt & gn.



MODEL	CAPACITY g	DIVISION mg	PLATE mm	PRICE £
HT-84RCE	80g	0.1	80 dia	1285.00
HT-124RCE	120g	0.1	80 dia	1360.00
HT-224RCE	220g	0.1	80 dia	1440.00
EXTRAS	Density Determination Kit			620.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

5.3 HIGH CAPACITY PRECISION BALANCES

5.3.1 SHINKO HJK SERIES



STAINLESS STEEL SCALE CLASS II APPROVED HIGH RESOLUTION BENCH/FLOOR SCALE

- All stainless steel housing with IP65 rating.
- Up to 1:330,000 resolution. Multiple weighing units including ct, dwt, ozt & gn.
- Indicator can be mounted on base, remotely or on column (extra).
- Bar graph display.
- When e ≠ d machine not legal for direct sales to the public.
- Other capacities available.



MODEL	CAPACITY g	DIVISION g	APPROVED DIVISION g	PLATE mm	PRICE £
HJ-17KSCE	17000	0.1	1	400 x 350	2150.00
HJ-33KSCE	33000	0.1	1	400 x 350	2760.00
HJ-62KDSCE	6000/62000	0.1/1	1	400 x 350	2760.00
EXTRAS	Built in Rechargeable Battery				525.00
	Under-weighing Hook				160.00
	Pole Kit				205.00

5.3.2 SHINKO FS SERIES



APPROVED STAINLESS STEEL IP65 HIGH RESOLUTION BENCH AND FLOOR SCALES

- Resolution up to 620,000 divisions
- External calibration. Date and time.
- Two RS232 outputs.
- 4 x D dry batteries for portage use.
- Scale cable: 5m for the FS 150K1GF and 300K1GF. 1m for all other models.
- Available with either the i02 or i03 indicators.




MODEL	CAPACITY g	DIVISION g	APPROVED DIVISION g	PLATE mm	PRICE £
FS623-i02	620	0.001	0.01	140 dia	3985.00
FS3202-i02	3200	0.01	0.1	190 x 190	3525.00
FS6202-i02	6200	0.01	0.1		3795.00
FS15001-i02	15000	0.1	1		3525.00
FS30K0.1G-i02	30kg	0.1	1	530 x 380	4445.00
FS60K0.1G-i02	60kg	0.1	1		5180.00
FS100K1G-i02	100kg	1	10		5550.00
FS200K1G-i02	200kg	1	10		5735.00
FS150K1GF-i02	150kg	1	10	800 x 600	8130.00
FS300K1GF-i02	300kg	1	10		8495.00
FS623-i03	620	0.001	0.01	140 dia	4350.00
FS3202-i03	3200	0.01	0.1	190 x 190	3885.00
FS6202-i03	6200	0.01	0.1		4165.00
FS15001-i03	15000	0.1	1		3890.00
FS30K0.1G-i03	30kg	0.1	1	530 x 380	4905.00
FS60K0.1G-i03	60kg	0.1	1		5550.00
FS100K1G-i03	100kg	1	10		5915.00
FS200K1G-i03	200kg	1	10		6105.00
FS150K1GF-i03	150kg	1	10	800 x 600	8405.00
FS300K1GF-i03	300kg	1	10		8775.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

5.3.3 SHINKO FZ SERIES



	II A	II B	II C
T1	acetone, benzene, ammonia, methanol, ethane, toluene, propane, methane, acetic acid	coke-oven gas, acrylonitrile, hydrocyanic acid, cyclopropane	hydrogen
T2	ethanol, butanol, butane, methyl methacrylate	ethylene, ethylene oxide, ethyl acrylate	acetylene
T3	gasoline, hexane, pentane	acrylaldehyde, dimethyl ether	
T4	acetaldehyde, trimethylamine	ethyl methyl ether, diethyl ether	
T5			carbon disulfide
T6	ethyl nitrite		ethyl nitrite

ATEX APPROVED STAINLESS STEEL IP65 HIGH RESOLUTION BENCH AND FLOOR SCALES

- ZONE 0, 1 AND 2
- II 1 G EX IA IIB T4 GA
- Resolution up to 620,000 divisions
- External calibration. Date and time.
- Two RS232 outputs .
- Scale cable: 5m for the FZ 150K1GF and 300K1GF. 1m for all other models.
- Power supply cable: 5m.
- Available with either the i02 or i03 indicators.



MODEL	CAPACITY g	DIVISION g	APPROVED DIVISION g	PLATE mm	PRICE £
FZ623Ex-i02	620	0.001	0.01	140 dia	5575.00
FZ3202Ex-i02	3200	0.01	0.1	190 x 190	4900.00
FZ6202Ex-i02	6200	0.01	0.1		5285.00
FZ15001Ex-i02	15000	0.1	1		4900.00
FZ30K0.1GEx-i02	30kg	0.1	1	530 x 380	6565.00
FZ60K0.1GEx-i02	60kg	0.1	1		7205.00
FZ100K1GEx-i02	100kg	1	10		7575.00
FZ200K1GEx-i02	200kg	1	10		8150.00
FZ150K1GFEx-i02	150kg	1	10	800 x 600	10525.00
FZ300K1GFEx-i02	300kg	1	10		11540.00
FZ623Ex-i03	620	0.001	0.01	140 dia	6010.00
FZ3202Ex-i03	3200	0.01	0.1	190 x 190	5275.00
FZ6202Ex-i03	6200	0.01	0.1		5735.00
FZ15001Ex-i03	15000	0.1	1		5275.00
FZ30K0.1GEx-i03	30kg	0.1	1	530 x 380	6930.00
FZ60K0.1GEx-i03	60kg	0.1	1		7575.00
FZ100K1GEx-i03	100kg	1	10		7945.00
FZ200K1GEx-i03	200kg	1	10		8495.00
FZ150K1GFEx-i03	150kg	1	10	800 x 600	10895.00
FZ300K1GFEx-i03	300kg	1	10		11905.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	-------

5.4 MOISTURE ANALYSERS

5.4.1 OHAUS MB23



COMPACT ANALYSER

- ABS housing with infrared heating.
- Manual, automatic or timed duration drying time.
- 50°C to 160°C in 5°C increments.



MODEL	CAPACITY g	DIVISION mg	REPEATABILITY (10g sample)	PLATE mm	PRICE £
MB23	110	10	0.2%	90 dia	1456.00
EXTRAS	Temperature calibration kit				400.00
	In use covers MB23				55.00
	Aluminium pans (50 pack)				22.00
	Re-useable 14mm sample pans (3 pack)				115.00

5.4.2 KERN DAB



MOISTURE ANALYSER WITH GRAPHIC DISPLAY

- 400w halogen quartz glass heater.
- Observation window.
- Memory for 15 drying programs.
- Display shows drying process activity, active heating profile, active switch-off criteria, previous drying time, current temperature and current moisture content in %.
- 5 drying processes. 50 sample plates included.



MODEL	CAPACITY g	DIVISION g	PLATE mm	PRICE £
DAB 200-2	200	0.01	92 dia	1285.00

5.4.3 KERN DLB



MOISTURE ANALYSER WITH HALOGEN QUARTZ GLASS HEATER

- 35°C to 160°C in 1°C increments.
- Display shows previous measurement until replaced with new.
- 5 drying programs. Supplied with 10 sample plates.



MODEL	CAPACITY g	DIVISION g	PLATE mm	PRICE £
DLB 160-3A	160	0.001	92 dia	1590.00

5.4.4 KERN DBS



MOISTURE BALANCE WITH 400W HALOGEN QUARTZ GLASS HEATER

- Backlit LCD graphic display showing previous drying time, current temperature, units, % moisture content & drying mode.
- Date & time. 10 memories and 99 sample descriptions.
- Supplied with 10 sample plates.



MODEL	CAPACITY g	DIVISION g	PLATE mm	PRICE £
DBS 60-3	60	0.001	92 dia	1760.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	------------------	-----------------	-------

SECTION 6.1 VETERINARY & LIVESTOCK SCALES

6.1.1 FURI FCW SERIES



VETERINARY SCALE WITH REMOVABLE RUBBER MAT

- Lifting handles and wheels on opposite end.



MODEL	CAPACITY kg	DIVISION g	PLATE mm	PRICE £
FCW-200	200	50	950 x 500	275.00

6.1.2 FCW-L RANGE



ANIMAL WEIGHING PLATFORM SCALE

- Portable with wheels and grab handle.
- Threaded holes for fitting protective cover.
- Supplied with HF12 or stainless steel HF22.
- Optional indicator stand.



MODEL	CAPACITY kg	DIVISION kg	PLATE mm	PRICE £
FCW-L-1508	1000	0.2	1500 x 800	395.00
FCW-L-2010	2000	0.5	2000 x 1000	495.00
HF12C	ABS multi-function weight indicator with LCD display			125.00
HF22C	IP67 Stainless steel indicator with LCD display			195.00
EXTRAS	Indicator stand			95.00

6.1.3 FWLS RANGE



POWDER COATED MILD STEEL LIVESTOCK PLATFORM

- C3 nickel plated alloy steel IP67 rated load cells.
- Heavy duty construction. Wash down design.
- Load cells and junction box mounted in top of fabrication.
- Also available in stainless steel.
- Other sizes and capacities available.



MODEL	PLATFORM SIZE mm	MAXIMUM CAPACITY kg	TOTAL LOAD CELL CAPACITY kg	PRICE £
FWLS-1805	1800 x 500 x 1250	1500	4000	820.00
FWLS-2005	2000 x 500 x 1250	1500	4000	875.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	----------------------------	-------

7.1 SUSPENDED & CRANE SCALES

7.1.1 KERN HDB HANGING SCALE



LIGHT WEIGHT HANGING SCALE WITH HOLD FUNCTION

- Plastic housing with stainless steel hook.



MODEL	CAPACITY kg	DIVISION g	PRICE £
HDB 5K5N	5	5	90.00
HDB 10K10N	10	10	90.00

7.1.2 KERN CH HANGING SCALE



HANGING SCALE WITH INTEGRAL TAPE MEASURE (1000mm)

- Either manual or automatic hold function.
- Plastic housing.



MODEL	CAPACITY kg	DIVISION g	PRICE £
CH 15K20	15	20	100.00
CH 50K50	50	50	105.00
CH 50K100	50	100	95.00

7.1.3 KERN HCB & HCN HANGING SCALE



SIMPLE HANGING SCALE WITH HOLD FUNCTION

- HCB plastic housing. HCN stainless steel housing.
- Stainless steel safety catch and S hook.
- Peak hold function
- Second display standard on the HCN.
- Weighing units include Newtons.



MODEL	CAPACITY kg	DIVISION g	PRICE £
HCB 20K10	20	10	145.00
HCB 50K100	50	100	125.00
HCB 100K200	100	200	135.00
HCB 200K500	200	500	130.00
HCN 50K100IP	50	100	175.00
HCN 100K200IP	100	200	175.00
HCN 200K500IP	200	500	175.00

7.1.4 UWE HS SERIES



SIMPLE LOW CAPACITY HANGING SCALE

- 250 hrs battery operation.
- Hold function.
- Options: 290mm diameter stainless steel pan & pan support.



MODEL	CAPACITY kg	DIVISION g	OVERALL HEIGHT mm	PRICE £
HS-3000	3	2	285 without pan 665 with pan	155.00
HS-7500	7.5	5		155.00
HS-15K	15	10		155.00
HS-30K	30	20		155.00
EXTRAS	Extra for Stainless Steel Pan and Support			55.00
	Mains Adaptor			20.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	--------------

7.2 CRANE SCALES

7.2.1 EVERIGHT OCS-SF SERIES



IP54 LIGHTWEIGHT HANGING SCALE

- Powder coated die cast housing.
- Selectable units, kg, lbs & N. Peak hold function.
- 360° rotating hook.
- Remote control.



MODEL	CAPACITY kg	DIVISION g	OVERALL HEIGHT mm	WEIGHT kg	PRICE £
OCS-SF-030	30	10	300	1	195.00
OCS-SF-050	50	20			195.00
OCS-SF-150	150	50			195.00
OCS-SF-300	300	100			195.00
EXTRAS	Traceable calibration certificate				50.00

7.2.2 EVERIGHT OCS-SP SERIES



IP54 MID-RANGE HANGING SCALE

- Powder coated die cast aluminium housing.
- Selectable units, kg, lbs & N. Peak hold function.
- 360° rotating hook.
- Remote control. Bluetooth option.



MODEL	CAPACITY kg	DIVISION g	OVERALL HEIGHT mm	WEIGHT kg	PRICE £
OCS-SP-100	100	50	320	4	395.00
OCS-SP-300	300	100			395.00
OCS-SP-500	500	200	345	5	395.00
OCS-SP-1000	1000	500			395.00
EXTRAS	Bluetooth kit				75.00
	Traceable calibration certificate				50.00

7.2.3 EVERIGHT OCS-SL SERIES



IP54 LIGHT INDUSTRIAL HANGING SCALE

- Powder coated die cast aluminium housing.
- Selectable units, kg, lbs. Peak hold function.
- Fixed hook.
- Remote control.
- Larger capacities available.



MODEL	CAPACITY kg	DIVISION kg	OVERALL HEIGHT mm	WEIGHT kg	PRICE £
OCS-SL-1.5	1500	0.5	455	12	495.00
OCS-SL-3	3000	1			495.00
OCS-SL-5	5000	2	535	18	495.00
EXTRAS	Traceable calibration certificate				50.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	--------------

7.2.4 KERN HFD CRANE SCALE



HIGH RESOLUTION CRANE SCALE

- Solid non-revolving shackles. IP models have IP67 rating. M models are approved.
- Hold and tare function.
- Supplied with remote control and battery charger.
- **Stamping fee included for M models.**



MODEL	CAPACITY kg	DIVISION kg	OVERALL HEIGHT mm	PRICE £
HFD 600K-1IP	150/300/600	0.05/0.1/0.2	421	645.00
HFD 1T-4IP	300/600/1500	0.1/0.2/0.5	421	645.00
HFD 3T-3IP	600/1500/3000	0.2/0.5/1	421	800.00
HFD 6T-3IP	1500/3000/6000	5/1/2	477	990.00
HFD 10T-3IP	3000/6000/12000	1/2/5	573	1135.00
HFD 600K-1M	600	0.2	421	970.00
HFD 1T-4M	1500	0.5	421	980.00
HFD 3T-3M	3000	1	421	1340.00
HFD 6T-3M	6000	2	477	1540.00
HFD 10T-3M	12000	5	573	1910.00

7.2.5 KERN HFA CRANE SCALE



COMPACT CRANE SCALE

- 23mm LDC display.
- Rechargeable and disposable batteries.
- Peak hold function. Weighing units include Newtons.
- Shackles not included.

PRICES FROM : £740.00

7.2.6 KERN HFC CRANE SCALE



CRANE SCALE WITH HANDHELD DISPLAY

- 23mm LDC display.
- Rechargeable and disposable batteries.
- Remote display has a range up to 100m.
- Peak hold function. Weighing units include Newtons.
- Shackles not included.

PRICES FROM: £1150.00

7.3 DYNAMOMETERS & FORCE GAUGES

7.3.1 SAUTER FA SERIES



SIMPLE MECHANICAL FORCE GAUGE

- Push pull functionality. Real time and peak hold modes.
- Supplied in hard carrying case.
- See our website for more details.

PRICE : £265.00

7.3.2 SAUTER FK SERIES



SIMPLE DIGITAL FORCE GAUGE

- Push pull functionality. Real time and peak hold modes.
- Selectable measuring units; N, kg, lbs & oz.
- See our website for more details.

PRICE: £310.00

7.3.3 EVERIGHT DL-R SERIES



DIGITAL DYNAMOMETER

- Powder coated aluminium or steel housing.
- Selectable units, kg, t, lbs, N, KN.
- Galvanised high tension shackles.
- Remote control. Peak hold.
- Other capacities available.




MODEL	CAPACITY kg	DIVISION kg	OVERALL HEIGHT mm	WEIGHT kg	PRICE £
DL-R-1	1000	0.5	335	3	495.00
DL-R-3	3000	1	365	5	525.00
DL-R-5	5000	2	405	6	575.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

BENCH	FLOOR	COUNTING	RETAIL	PRECISION	VET & LIVESTOCK	CRANE
-------	-------	----------	--------	-----------	-----------------	--------------

8.1 MILD STEEL PLATFORMS & WEIGHBEAMS

8.1.1 FW RANGE



FW Range




FW-A Range

PAINTED MILD STEEL PLATFORMS

- Load cell cables and junction box located within fabrication.
- 4 load cells:-
FW: SQB (non-C3)
FW-A: Zemic H8C.
- Removable side plate for easy access to junction box with summing board.
- 5mm top plate.
- Other capacities and sizes available, POA.

MODEL	PLATFORM SIZE mm	MAXIMUM CAPACITY kg	TOTAL LOAD CELL CAPACITY kg	PRICE £
FW-0808	800 x 800 x 95	1000	2000	375.00
FW-1010	1000 x 1000 x 105	2000	4000	395.00
FW-1212	1200 x 1200 x 105	3000	6000	445.00
FW-1515	1500 x 1500 x 110	3000	6000	575.00
FW-1812	1800 x 1200 x 110	3000	6000	715.00
FW-2015	2000 x 1500 x 110	3000	6000	765.00
FW-A-1010 M	1000 x 1000 x 105	2000	4000	445.00
FW-A-1212 M	1200 x 1200 x 105	3000	6000	545.00
FW-A-1515 M	1500 x 1500 x 110	3000	6000	645.00
FW-RP-0808	800 x 620	Mild steel ramp		125.00
FW-RP-1010	1000 x 620			145.00
FW-RP-1212	1200 x 750			175.00
FW-RP-1515	1500 x 750			195.00
EXTRAS	ATEX load cells stainless steel IP67 Flintec SLB			725.00
	Indicator stand			95.00

8.1.2 FWX RANGE



HEAVY DUTY PAINTED MILD STEEL PLATFORMS

- 4 OIML R60 Zemic C3 H8C approved IP67 mild steel load cells.
- Load cell cables and junction box located within fabrication.
- Heavy duty construction, removable top and corner sections for access to junction box and load cells making it ideal for dormant application.
- 5mm top plate.
- Other capacities and sizes available, POA.




MODEL	PLATFORM SIZE mm	MAXIMUM CAPACITY kg	TOTAL LOAD CELL CAPACITY kg	PRICE £
FWX-1010	1000 x 1000 x 105	2000	4000	615.00
FWX-1212	1200 x 1200 x 105	3000	6000	725.00
FWX-1515	1500 x 1500 x 110	3000	6000	875.00
FWX-RP-1010	1000 x 620	Mild steel ramp		215.00
FWX-RP-1212	1200 x 750			250.00
FWX-RP-1515	1500 x 750			270.00
FWX-PF-1010	Mild steel pit frame			175.00
FWX-PF-1212			195.00	
FWX-PF-1515			215.00	
EXTRAS	ATEX load cells stainless steel IP67 Flintec SLB			725.00
	ATEX junction box			270.00
	Indicator stand			95.00

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTER & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	-----------------------	------------	---------	--------------------------	--------

8.1.3 DT RANGE



PAINTED MILD STEEL DRIVE THROUGH PLATFORM

- Ultra low profile with integral ramps.
- IP67 SQB mild steel load cells.

MODEL	WORKING AREA mm	FOOTPRINT mm	MAXIMUM CAPACITY kg	TOTAL LOAD CELL CAPACITY kg	PRICE £
DT-5050	500 x 500	800 x 700 x 80	500	2000	395.00
DT-7575	750 x 750	1105 x 990 x 110	1000	2000	435.00
DT-1010	1000 x 1000	1400 x 1240 x 110	1000	2000	495.00
DT-1212	1200 x 1200	1600 x 1400 x 110	1000	2000	545.00
EXTRAS	ATEX load cells stainless steel IP67 Flintec SLB				725.00

8.1.4 FWHC RANGE



POWDER COATED HIGH CAPACITY MILD STEEL PLATFORM

- Extra heavy duty construction.
- Fitted with alloy steel IP67 or IP68 rated C3 sheer beam load cells.
- **Price includes delivery direct to site.**



MODEL	PLATFORM SIZE mm	MAXIMUM CAPACITY t	TOTAL LOAD CELL CAPACITY t	PRICE £
FWHC-2015-5	2000 x 1500 x 370	5	8	2510.00
FWHC-2015-10		10	20	2810.00
FWHC-3020-10	3000 x 2000 x 370	10	20	4350.00
FWHC-3020-20		20	40	5340.00
FWHC-4030-20	4000 x 3000 x 370	20	40	11155.00
FWHC-4030-30		30	40	11475.00

8.1.5 UF RANGE



POWDER COATED MILD STEEL U FRAME

- Single hand grip.
- Wheels for easy transportation.
- IP67 SQB (non-C3) steel load cells.
- Beam width 120mm. Height 90mm. Interior opening 600mm.

MODEL	MAXIMUM CAPACITY kg	TOTAL LOAD CELL CAPACITY kg	PRICE £
UF-3T	3000	4000	375.00

8.1.6 WB-M RANGE



POWDER COATED MILD STEEL MEDIUM DUTY WEIGH BEAMS

- Hand grip on one end with a wheel on the other end.
- IP67 steel load cells.
- 90mm diameter rubber feet.

MODEL	PLATFORM SIZE mm	MAXIMUM CAPACITY kg	TOTAL LOAD CELL CAPACITY kg	PRICE £
WB-M-3T	1200 x 120 x 90	3000	4000	375.00
WB-M-5T	1200 x 140 x 90	5000	6000	395.00

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTER & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	-----------------------	------------	---------	--------------------------	--------

8.2 STAINLESS STEEL PLATFORM & WEIGHBEAMS

8.2.1 FWS RANGE





ALL STAINLESS STEEL PLATFORMS

- Fitted with Keli SQB-S stainless steel IP68 C3 load cells.
- Load cell cables and stainless steel junction box located within fabrication.
- Removable side plate for easy access to junction box with summing board.



MODEL	PLATFORM SIZE mm	MAXIMUM CAPACITY kg	TOTAL LOAD CELL CAPACITY kg	PRICE £
FWS-0808	800 x 800 x 95	1000	4000	1095.00
FWS-1010	1000 x 1000 x 105	2000	4000	1150.00
FWS-1212	1200 x 1200 x 105	3000	6000	1315.00
FWS-1515	1500 x 1500 x 105	3000	6000	1615.00
FWS-RP-0808	800 x 620	Stainless steel ramp		315.00
FWS-RP-1010	1000 x 620			360.00
FWS-RP-1212	1200 x 750			435.00
FWS-RP-1515	1500 x 750			470.00
EXTRAS	ATEX load cells stainless steel IP67 Flintec SLB			725.00

8.2.2 FWSX RANGE




HEAVY DUTY ALL STAINLESS STEEL PLATFORMS

- Fitted with IP67 Zemic H8C C3 load cells.
- Load cell cables and stainless steel junction box located within fabrication.
- Heavy duty construction, removable top and corner sections for access to junction box and load cells making it ideal for dormant application.



MODEL	PLATFORM SIZE mm	MAXIMUM CAPACITY kg	TOTAL LOAD CELL CAPACITY kg	PRICE £
FWSX-1010	1000 x 1000 x 105	3000	6000	1645.00
FWSX-1212	1200 x 1200 x 105	3000	6000	1755.00
FWSX-1515	1500 x 1500 x 105	3000	6000	2085.00
FWSX-RP-1010	1000 x 620	Stainless steel ramp		655.00
FWSX-RP-1212	1200 x 750			765.00
FWSX-RP-1515	1500 x 750			910.00
FWSX-PF-1010	Stainless steel pit frame			690.00
FWSX-PF-1212				720.00
FWSX-PF-1515				910.00
EXTRAS	ATEX load cells stainless steel IP67 Flintec SLB			725.00
	ATEX junction box			270.00

8.2.3 DT-S RANGE



ALL STAINLESS STEEL DRIVE THROUGH PLATFORM


- Fitted with stainless steel IP68 load cells.
- Ultra low profile with integral ramps.

MODEL	WORKING AREA mm	FOOTPRINT mm	MAXIMUM CAPACITY kg	TOTAL LOAD CELL CAPACITY kg	PRICE £
DT-S-7575	750 x 750	1105 x 990 x 110	1000	2000	1260.00
DT-S-1010	1000 x 1000	1400 x 1240 x 110	1000	2000	1460.00
DT-S-1212	1200 x 1200	1600 x 1400 x 110	1000	2000	1975.00
EXTRAS	ATEX load cells stainless steel IP67 Flintec SLB				725.00

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTER & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	-----------------------	------------	---------	--------------------------	--------

8.2.4 FLPS RANGE



HINGED STAINLESS STEEL PLATFORMS

- Fitted with SQB-S IP68 rated stainless steel load cells.
- Gas damped struts for lowering.
- 304 grade stainless steel.
- Optional stainless steel pit frame for dormant installation.
- ATEX version available - POA.




OPTIONAL



MODEL	PLATFORM SIZE mm	CAPACITY kg	TOTAL LOAD CELL CAPACITY kg	PRICE £
FLPS-1010	1000 x 1000	3000	6000	1425.00
FLPS-1212	1200 x 1200	3000	6000	1645.00
FLPS-1512	1500 x 1200	3000	6000	1865.00
FLPS-1515	1500 x 1500	3000	6000	2085.00
FLPS-PF-1010	Stainless steel pit frame			270.00
FLPS-PF-1212				350.00
FLPS-PF-1512				415.00
FLPS-PF-1515				490.00

8.2.5 UF-S RANGE



ALL STAINLESS STEEL U FRAME

- Single hand grip.
- Wheels for easy transportation.
- Stainless steel IP68 load cells
- Beam width 120mm. Height 90mm. Interior opening 600mm.

MODEL	MAXIMUM CAPACITY kg	TOTAL LOAD CELL CAPACITY kg	PRICE £
UF-S-3T	3000	4000	1045.00

8.2.6 WB-S RANGE



ALL STAINLESS STEEL WEIGH BEAMS

- Hand grip on one end with a wheel on the other end.
- Stainless steel IP68 load cells.
- Beam width 120mm. 90mm diameter rubber feet.
- Heavy duty construction, each beam weighs 17kg.

MODEL	PLATFORM SIZE mm	MAXIMUM CAPACITY kg	TOTAL LOAD CELL CAPACITY kg	PRICE £
WB-S-3T	1200 x 120 x 90	3000	6000	935.00

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTER & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	-----------------------	------------	---------	--------------------------	--------

8.3 PALLET TRUCK SCALES

8.3.1 TA TRUCK SCALE



MILD STEEL PALLET TRUCK SCALE

- Heavy duty construction.
- IP67 mild steel load cells.
- Lifting height 75-190mm.
- Forks 1180 x 160mm (l x w). Interior opening 230mm.
- W version with overall width of 680mm and interior opening of 355mm



MODEL	MAXIMUM CAPACITY kg	DIVISION kg	TOTAL LOAD CELL CAPACITY kg	PRICE £
TA-2000	2000	0.5	4000	795.00
TA-2000W	2000	0.5	4000	895.00

8.3.2 TA-P TRUCK SCALE



MILD STEEL PALLET TRUCK SCALE WITH INTERNAL PRINTER

- Heavy duty construction.
- IP67 mild steel load cells.
- Date and time.
- Lifting height 75-190mm.
- Forks 1180 x 160mm (l x w). Interior opening 230mm.



MODEL	MAXIMUM CAPACITY kg	DIVISION kg	TOTAL LOAD CELL CAPACITY kg	PRICE £
TA-2000P	2000	0.5	4000	895.00
EXTRA	Box of 20 paper rolls			30.00

8.3.3 TA-E TRUCK SCALE



MILD STEEL PALLET TRUCK SCALE WITH EXCHANGE BATTERY SYSTEM

- Heavy duty construction.
- Mild steel load cells.
- Lifting height 85-200mm.
- Forks 1160 x 185mm (l x w). Interior opening 175mm.
- Panel mount indicator.
- Removable battery drawer with easy access.
- Price includes complete spare battery drawer and charger.



MODEL	MAXIMUM CAPACITY kg	DIVISION kg	TOTAL LOAD CELL CAPACITY kg	PRICE £
TA-2000E	2000	0.5	4000	895.00

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTER & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	-----------------------	------------	---------	--------------------------	--------

8.4 MILD STEEL BASES

8.4.1 HEAVY DUTY BASES



EXTRA HEAVY DUTY SINGLE LOAD CELL BASES

- IP65 Zemic L6E or L6G C3 approved aluminium load cell.
- Heavy duty "X" shaped construction. Powder coated mild steel. Stainless steel goods plate.
- Column can be mounted on long or short side.
- 370mm circular column on BX models, 650mm circular column on larger sizes.
- Other capacities available.
- XLX size pallet delivery only.



MODEL	PLATFORM SIZE mm	MAXIMUM CAPACITY kg	LOAD CELL CAPACITY kg	PRICE £
BX-6	400 x 300 x 130	6	10	165.00
BX-15		15	20	165.00
BX-30		30	50	165.00
FX-30	500 x 400 x 130	30	50	215.00
FX-60		60	100	215.00
FX-150		150	200	215.00
FX-300		300	500	215.00
LX-60	600 x 500 x 150	60	100	275.00
LX-150		150	200	275.00
LX-300		300	500	275.00
XLX-60	800 x 600 x 150	60	100	325.00
XLX-150		150	200	325.00
XLX-300		300	500	325.00
EXTRAS	Top bracket			25.00
	500 x 500 Back Rail			95.00
	ATEX load cells stainless steel IP67 – BX models			255.00
	ATEX load cells aluminium IP67 – FX/LX/XLX models			145.00

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTER & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
----------------------	------------	-----------------------------	--------------------------	------------	---------	-----------------------------	--------

8.5 STAINLESS STEEL BASES

8.5.1 STAINLESS STEEL BASES



SA



SAX



STAINLESS STEEL SINGLE LOAD CELL BASES

- Heavy duty construction.
- SA & SAX: C3 approved stainless steel load cell, Zemic B6N.
- SPX: C3 approved aluminium load cell encapsulated in IP65 rated stainless steel enclosure, Zemic L6N
- Column and bottom bracket included.



MODEL	PLATFORM SIZE mm	MAXIMUM CAPACITY kg	LOAD CELL CAPACITY kg	IP RATING	PRICE £
SA-3	230 x 230 x 85	3	10	67	245.00
SA-6		6	10	67	245.00
SA-15		15	20	67	245.00
SAX-6	300 x 300 x 110	6	10	67	295.00
SAX-15		15	20	67	295.00
SAX-30		30	50	67	295.00
SPX-6	300 x 300 x 110	6	10	65	245.00
SPX-15		15	20	65	245.00
SPX-30		30	50	65	245.00
EXTRAS	Top bracket				25.00
	ATEX-SA, SAX, SPX stainless steel IP67 Flintec PC1				255.00

8.5.2 HEAVY DUTY STAINLESS STEEL BASES



EXTRA HEAVY DUTY STAINLESS STEEL SINGLE LOAD CELL BASES

- C3 approved stainless steel load cell. SBX: Zemic B6N SFX/SLX/SXLX: Zemic BM6G
- Heavy duty "X" shaped construction.
- Column can be mounted on long or short side.
- 370mm circular column on SBX models, 650mm circular column on larger sizes.SXLX size pallet delivery only.



MODEL	PLATFORM SIZE mm	MAXIMUM CAPACITY kg	LOAD CELL CAPACITY kg	IP RATING	PRICE £
SBX-6	400 x 300 x 130	6	10	67	345.00
SBX-15		15	20	67	345.00
SBX-30		30	50	67	345.00
SFX-30	500 x 400 x 130	30	50	69K	445.00
SFX-60		60	100	69K	445.00
SFX-150		150	200	69K	445.00
SLX-60	600 x 500 x 150	60	100	69K	545.00
SLX-150		150	200	69K	545.00
SLX-300		300	500	69K	545.00
SXLX-150	800 x 600 x 150	150	200	69K	645.00
SXLX-300		300	500	69K	645.00
EXTRAS	Top bracket				25.00
	500 x 500 mm Back Rail				95.00
	ATEX load cells stainless steel IP67 – SBX Flintec PC1				255.00
	ATEX load cells stainless steel IP68 – SFX/SLX/SXLX Flintec PCB				680.00














Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTER & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	-----------------------	------------	---------	--------------------------	--------

SECTION 8.6 MILD STEEL COMPOSITE PLATFORM SCALES

8.6.1 MILD STEEL PLATFORMS WITH ABS INDICATORS

For detailed specifications please refer to the individual indicators and bases














		Platforms													
															
		Model	FW-0808	FW-1010	FW-1212	FW-1515	FW-1812	FW-2015	FW-A-1010	FW-A-1212	FW-A-1515	FWX-1010	FWX-1212	FWX-1515	
		Capacity	1000	2000	3000	3000	3000	3000	2000	3000	3000	2000	3000	3000	
Indicators	Model	IP rating Approved	Size [mm]	800x800	1000x1000	1200x1200	1500x1500	1800x1200	2000x1500	1000x1000	1200x1200	1500x1500	1000x1000	1200x1200	1500x1500
			Material IP rating	MS IP67	MS IP67	MS IP67	MS IP67	MS IP67	MS IP67	MS IP67	MS IP67	MS IP67	MS IP67	MS IP67	MS IP67
		Price	375.00	395.00	445.00	575.00	715.00	765.00	445.00	545.00	645.00	615.00	725.00	875.00	
	HEAVYE HF12		125.00	500.00	520.00	570.00	700.00	840.00	890.00	570.00	670.00	770.00	740.00	850.00	1000.00
	WHITE BIRD I10A	M	155.00	530.00	550.00	600.00	730.00	870.00	920.00	600.00	700.00	800.00	770.00	880.00	1030.00
	UWE VBM	M	255.00	630.00	650.00	700.00	830.00	970.00	1020.00	700.00	800.00	900.00	870.00	980.00	1130.00
	OHAUS i-DT33P	M	350.00	610.00	630.00	680.00	810.00	950.00	1000.00	680.00	780.00	880.00	850.00	960.00	1110.00
	FM 19i	M	235.00	610.00	630.00	680.00	810.00	950.00	1000.00	680.00	780.00	880.00	850.00	960.00	1110.00
	UWE W22		385.00	760.00	780.00	830.00	960.00	1100.00	1150.00	830.00	930.00	1030.00	1000.00	1110.00	1260.00
	UWE W22P		550.00	925.00	945.00	995.00	1125.00	1265.00	1315.00	995.00	1095.00	1195.00	1165.00	1275.00	1425.00
	OHAUS TD52P	M	600.00	975.00	995.00	1045.00	1175.00	1315.00	1365.00	1045.00	1145.00	1245.00	1215.00	1325.00	1475.00
	UWE APC	M	295.00	670.00	690.00	740.00	870.00	1010.00	1060.00	740.00	840.00	940.00	910.00	1020.00	1170.00
	RINSTRUM X320	IP69 M	740.00	1115.00	1135.00	1185.00	1315.00	1455.00	1505.00	1185.00	1285.00	1385.00	1355.00	1465.00	1615.00

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTER & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	-----------------------	------------	---------	--------------------------	--------

8.6.2 MILD STEEL PLATFORMS WITH STAINLESS STEEL INDICATORS

For detailed specifications please refer to the individual indicators and bases













		Platforms													
		Model	FW-0808 1000	FW-1010 2000	FW-1212 3000	FW-1515 3000	FW-1812 3000	FW-2015 3000	FW-A-1010 2000	FW-A-1212 3000	FW-A-1515 3000	FWX-1010 2000	FWX-1212 3000	FWX-1515 3000	
Indicators	Model	IP rating Approved	Size [mm]	800x800 MS IP67	1000x1000 MS IP67	1200x1200 MS IP67	1500x1500 MS IP67	1800x1200 MS IP67	2000x1500 MS IP67	1000x1000 MS IP67	1200x1200 MS IP67	1500x1500 MS IP67	1000x1000 MS IP67	1200x1200 MS IP67	1500x1500 MS IP67
			Material IP rating	Price	375.00	395.00	445.00	575.00	715.00	765.00	445.00	545.00	645.00	615.00	725.00
	HEAVYE HF-22C	IP67	195.00	570.00	590.00	640.00	770.00	910.00	960.00	640.00	740.00	840.00	810.00	920.00	1070.00
	HEAVYE HF-22E	IP67	195.00	570.00	590.00	640.00	770.00	910.00	960.00	640.00	740.00	840.00	810.00	920.00	1070.00
	OHAUS i-DT33XW	IP66 M	367.00	742.00	762.00	812.00	942.00	1082.00	1132.00	812.00	912.00	1012.00	982.00	1092.00	1242.00
	WHITE BIRD I10S	IP66 M	225.00	600.00	620.00	670.00	800.00	940.00	990.00	670.00	770.00	870.00	840.00	950.00	1100.00
	WHITE BIRD I10B	IP67 M	255.00	630.00	650.00	700.00	830.00	970.00	1020.00	700.00	800.00	900.00	870.00	980.00	1130.00
	UWE WSK	IP67	325.00	700.00	720.00	770.00	900.00	1040.00	1090.00	770.00	870.00	970.00	940.00	1050.00	1200.00
	OHAUS TD52XW	IP68 M	810.00	1185.00	1205.00	1255.00	1385.00	1525.00	1575.00	1255.00	1355.00	1455.00	1425.00	1535.00	1685.00
	OHAUS T72XW	IP66 M	900.00	1275.00	1295.00	1345.00	1475.00	1615.00	1665.00	1345.00	1445.00	1545.00	1515.00	1625.00	1775.00
	SYSTEC IT1	IP69 M	655.00	1030.00	1050.00	1100.00	1230.00	1370.00	1420.00	1100.00	1200.00	1300.00	1270.00	1380.00	1530.00
	SYSTEC IT3	IP69 M	1100.00	1475.00	1495.00	1545.00	1675.00	1815.00	1865.00	1545.00	1645.00	17.45	1715.00	1825.00	1975.00

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTER & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	-----------------------	------------	---------	--------------------------	--------

8.6.3 MILD STEEL DRIVE THROUGH PLATFORMS / WEIGH BEAMS WITH ABS INDICATORS

For detailed specifications please refer to the individual indicators and bases












		Platform Beams								
										
		Model Capacity	DT-5050 500	DT-7575 1000	DT-1010 1000	DT-1212 1000	UF-3T 3000	WB-M-3T 3000	WB-M-5T 5000	
Indicators	Model	IP rating Approved	Size [mm]	500x500	750x750	1000x1000	1200x1200	2 x 120	120x1200	140x1200
			Material	MS	MS	MS	MS	MS	MS	MS
			IP rating	IP67	IP67	IP67	IP67	IP67	IP67	IP67
			Price	395.00	435.00	495.00	545.00	375.00	375.00	395.00
	HEAVYE HF12		125.00	520.00	560.00	620.00	670.00	500.00	500.00	520.00
	WHITE BIRD I10A	M	155.00	550.00	590.00	650.00	700.00	530.00	530.00	550.00
	UWE VBM	M	255.00	650.00	690.00	750.00	800.00	630.00	630.00	650.00
	OHAUS i-DT33P	M	235.00	630.00	670.00	730.00	780.00	610.00	610.00	630.00
	FM 19i	M	235.00	630.00	670.00	730.00	780.00	610.00	610.00	630.00
	UWE W22		385.00	780.00	820.00	880.00	930.00	760.00	760.00	780.00
	UWE W22P		550.00	945.00	985.00	1045.00	1095.00	925.00	925.00	945.00
	OHAUS TD52P	M	600.00	995.00	1035.00	1095.00	1145.00	975.00	975.00	995.00
	UWE APC	M	295.00	690.00	730.00	790.00	840.00	670.00	670.00	690.00
	RINSTRUM X320	IP69 M	740.00	1135.00	1175.00	1235.00	1285.00	1115.00	1115.00	1135.00

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTER & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	-----------------------	------------	---------	--------------------------	--------

8.6.4 MILD STEEL DRIVE THROUGH PLATFORMS / WEIGH BEAMS WITH STAINLESS STEEL INDICATORS

For detailed specifications please refer to the individual indicators and bases

Indicators	Model	IP rating Approved	Platform Beams							
										
			Model Capacity	DT-5050 500	DT-7575 1000	DT-1010 1000	DT-1212 1000	UF-3T 3000	WB-M-3T 3000	WB-M-5T 5000
			Size [mm] Material IP rating	500x500 MS IP67	750x750 MS IP67	1000x1000 MS IP67	1200x1200 MS IP67	2 x 120 MS IP67	120x1200 MS IP67	140x1200 MS IP67
			Price	395.00	435.00	495.00	545.00	375.00	375.00	395.00
	HEAVYE HF-22C	IP67	195.00	590.00	630.00	690.00	740.00	570.00	570.00	590.00
	HEAVYE HF-22E	IP67	195.00	590.00	630.00	690.00	740.00	570.00	570.00	590.00
	OHAUS i-DT33XW	IP66 M	367.00	762.00	802.00	862.00	912.00	742.00	742.00	762.00
	WHITE BIRD I10S	IP66 M	225.00	620.00	660.00	720.00	770.00	600.00	600.00	620.00
	WHITE BIRD I10B	IP67 M	255.00	650.00	690.00	750.00	800.00	630.00	630.00	650.00
	UWE WSK	IP67	325.00	720.00	760.00	820.00	870.00	700.00	700.00	720.00
	OHAUS TD52XW	IP68 M	810.00	1205.00	1245.00	1305.00	1355.00	1185.00	1185.00	1205.00
	OHAUS T72XW	IP66 M	900.00	1295.00	1335.00	1395.00	1445.00	1275.00	1275.00	1295.00
	SYSTEC IT1	IP69 M	655.00	1050.00	1090.00	1150.00	1200.00	1030.00	1030.00	1050.00
	SYSTEC IT3	IP69 M	1100.00	1495.00	1535.00	1595.00	1645.00	1475.00	1475.00	1495.00





Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTER & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	-----------------------	------------	---------	--------------------------	--------

SECTION 8.7 STAINLESS STEEL COMPOSITE PLATFORM SCALES

8.7.1 STAINLESS STEEL PLATFORMS WITH ABS INDICATORS

For detailed specifications please refer to the individual indicators and bases












			Platforms							
Indicators	Model	IP rating Approved	Model Capacity	FWS-0808 1000	FWS-1010 2000	FWS-1212 3000	FWS-1515 3000	FWSX-1010 3000	FWSX-1212 3000	FWSX-1515 3000
			Size [mm]	800x800	1000x1000	1200x1200	1500x1500	1000x1000	1200x1200	1500x1500
			Material	SS	SS	SS	SS	SS	SS	SS
			IP rating	IP68	IP68	IP68	IP68	IP68	IP68	IP68
			Price	1095.00	1150.00	1315.00	1615.00	1645.00	1755.00	2085.00
	HEAVYE HF12		125.00	1220.00	1275.00	1440.00	1740.00	1770.00	1880.00	2210.00
	WHITE BIRD I10A	M	155.00	1250.00	1305.00	1470.00	1770.00	1800.00	1910.00	2240.00
	UWE VBM	M	255.00	1350.00	1405.00	1570.00	1870.00	1900.00	2010.00	2340.00
	OHAUS i-DT33P	M	235.00	1330.00	1385.00	1550.00	1850.00	1880.00	1990.00	2320.00
	FM 19i	M	235.00	1330.00	1385.00	1550.00	1850.00	1880.00	1990.00	2320.00
	UWE W22		385.00	1480.00	1535.00	1700.00	2000.00	2030.00	2140.00	2470.00
	UWE W22P		550.00	1645.00	1700.00	1865.00	2165.00	2195.00	2305.00	2635.00
	OHAUS TD52P	M	600.00	1695.00	1750.00	1915.00	2215.00	2245.00	2355.00	2685.00
	UWE APC	M	295.00	1390.00	1445.00	1610.00	1910.00	1940.00	2050.00	2380.00
	RINSTRUM X320	IP69 M	740.00	1835.00	1890.00	2055.00	2355.00	2385.00	2495.00	2825.00

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTER & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	-----------------------	------------	---------	--------------------------	--------

8.7.2 STAINLESS STEEL PLATFORMS WITH STAINLESS STEEL INDICATORS

For detailed specifications please refer to the individual indicators and bases














			Platforms							
Indicators	Model	IP rating Approved	Model	FWS-0808 1000	FWS-1010 2000	FWS-1212 3000	FWS-1515 3000	FWSX-1010 3000	FWSX-1212 3000	FWSX-1515 3000
			Capacity	Size [mm] Material IP rating	800x800 SS IP68	1000x1000 SS IP68	1200x1200 SS IP68	1500x1500 SS IP68	1000x1000 SS IP68	1200x1200 SS IP68
			Price	1095.00	1150.00	1315.00	1615.00	1645.00	1755.00	2085.00
	HEAVYE HF-22C	IP67	195.00	1290.00	1345.00	1510.00	1810.00	1840.00	1950.00	2280.00
	HEAVYE HF-22E	IP67	195.00	1290.00	1345.00	1510.00	1810.00	1840.00	1950.00	2280.00
	OHAUS i-DT33XW	IP66 M	367.00	1462.00	1517.00	1682.00	1982.00	2012.00	2122.00	2452.00
	WHITE BIRD I10S	IP66 M	225.00	1320.00	1375.00	1540.00	1840.00	1870.00	1980.00	2310.00
	WHITE BIRD I10B	IP67 M	255.00	1350.00	1405.00	1570.00	1870.00	1900.00	2010.00	2340.00
	UWE WSK	IP67	325.00	1420.00	1475.00	1640.00	1940.00	1970.00	2080.00	2410.00
	OHAUS TD52XW	IP68 M	810.00	1905.00	1960.00	2125.00	2425.00	2455.00	2565.00	2895.00
	OHAUS T72XW	IP66 M	900.00	1995.00	2050.00	2215.00	2515.00	2545.00	2655.00	2985.00
	SYSTEC IT1	IP69 M	655.00	1750.00	1805.00	1970.00	2270.00	2300.00	2410.00	2740.00
	SYSTEC IT3	IP69 M	1100.00	2195.00	2250.00	2415.00	2715.00	2745.00	2855.00	3185.00

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTER & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	-----------------------	------------	---------	--------------------------	--------

8.7.3 STAINLES STEEL DRIVE THROUGHS / WEIGHTBEAMS WITH ABS INDICATORS

For detailed specifications please refer to the individual indicators and bases















Indicators	Model	IP rating Approved	Platforms									
												
			Model	FLPS-1010 3000	FLPS-1212 3000	FLP-1512 3000	FLP-1515 3000	DT-S-7575 1000	DT-S-1010 1000	DT-S-1212 1000	UF-S-3T 3000	WB-S-3T 3000
			Capacity	1000x1000 SS IP68	1200x1200 SS IP68	1500x1200 SS IP68	1500x1500 SS IP68	750x750 SS IP68	1000x1000 SS IP68	1200x1200 SS IP68	2 x120 SS IP68	1200x120 SS IP68
Price	1425.00	1645.00	1865.00	2085.00	1260.00	1460.00	1975.00	1045.00	935.00			
	HEAVYE HF12		125.00	1550.00	1770.00	1990.00	2210.00	1385.00	1585.00	2100.00	1170.00	1060.00
	WHITE BIRD 110A	M	155.00	1580.00	1800.00	2020.00	2240.00	1415.00	1615.00	2130.00	1200.00	1090.00
	UWE VBM	M	255.00	1680.00	1900.00	2120.00	2340.00	1515.00	1715.00	2230.00	1300.00	1190.00
	OHAUS i-DT33P	M	235.00	1660.00	1880.00	2100.00	2320.00	1495.00	1695.00	2210.00	1280.00	1170.00
	FM 19i	M	235.00	1660.00	1880.00	2100.00	2320.00	1495.00	1695.00	2210.00	1280.00	1170.00
	UWE W22		385.00	1810.00	2030.00	2250.00	2470.00	1645.00	1845.00	2360.00	1430.00	1320.00
	UWE W22P		550.00	1975.00	2195.00	2415.00	2635.00	1810.00	2010.00	2525.00	1595.00	1485.00
	OHAUS TD52P	M	600.00	2025.00	2245.00	2465.00	2685.00	1860.00	2060.00	2575.00	1645.00	1535.00
	UWE APC	M	295.00	1720.00	1940.00	2160.00	2380.00	1555.00	1755.00	2270.00	1340.00	1230.00
	RINSTRUM X320	IP69 M	740.00	2165.00	2385.00	2605.00	2825.00	2000.00	2200.00	2715.00	1785.00	1675.00

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTER & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	-----------------------	------------	---------	--------------------------	--------

8.7.4 STAINLESS STEEL DRIVE THROUGHS / WEIGH BEAMS WITH STAINLESS STEEL INDICATORS

For detailed specifications please refer to the individual indicators and bases

		Platforms										
												
		Model	FLPS-1010 3000	FLPS-1212 3000	FLP-1512 3000	FLP-1515 3000	DT-S-7575 1000	DT-S-1010 1000	DT-S-1212 1000	UF-S-3T 3000	WB-S-3T 3000	
Indicators	Model	IP rating Approved	Size [mm]	1000x1000	1200x1200	1500x1200	1500x1500	750x750	1000x1000	1200x1200	2 x120	1200X120
			Material	SS	SS	SS	SS	SS	SS	SS	SS	SS
			IP rating	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68
			Price	1425.00	1645.00	1865.00	2085.00	1260.00	1460.00	1975.00	1045.00	935.00
	HEAVYE HF-22C	IP67	195.00	1620.00	1840.00	2060.00	2280.00	1455.00	1655.00	2170.00	1240.00	1130.00
	HEAVYE HF-22E	IP67	195.00	1620.00	1840.00	2060.00	2280.00	1455.00	1655.00	2170.00	1240.00	1130.00
	OHAUS i-DT33XW	IP66 M	367.00	1792.00	2012.00	2232.00	2452.00	1627.00	1827.00	2342.00	1412.00	1302.00
	WHITE BIRD I10S	IP66 M	225.00	1650.00	1870.00	2090.00	2310.00	1485.00	1685.00	2200.00	1270.00	1160.00
	WHITE BIRD I10B	IP67 M	255.00	1680.00	1900.00	2120.00	2340.00	1515.00	1715.00	2230.00	1300.00	1190.00
	UWE WSK	IP67	325.00	1750.00	1970.00	2190.00	2410.00	1585.00	1785.00	2300.00	1370.00	1260.00
	OHAUS TD52XW	IP68 M	810.00	2235.00	2455.00	2675.00	2895.00	2070.00	2270.00	2785.00	1855.00	1745.00
	OHAUS T72XW	IP66 M	900.00	2325.00	2545.00	2765.00	2985.00	2160.00	2360.00	2875.00	1945.00	1835.00
	SYSTEC IT1	IP69 M	655.00	2080.00	2300.00	2520.00	2740.00	1915.00	2115.00	2630.00	1700.00	1590.00
	SYSTEC IT3	IP69 M	1100.00	2525.00	2745.00	2965.00	3185.00	2360.00	2560.00	3075.00	2145.00	2035.00

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTER & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	-----------------------	------------	---------	--------------------------	--------

9.1 MULTI-FUNCTION INDICATORS

9.1.1 HEAVYE HF12 SERIES INDICATOR



MULTI-FUNCTION WEIGHT INDICATOR

- ABS housing.
- Maximum resolution 10,000 divisions.
- Supplied with wall bracket.



MODEL	DESCRIPTION	PRICE £
HF-12C	ABS housing, wide angle backlit LCD	125.00
EXTRAS	Column bracket	25.00

9.1.2 WHITE BIRD I10A SERIES INDICATOR



APPROVED MULTIFUNCTION WEIGHT INDICATORS

- ABS housing.
- Up to 30,000 divisions resolution.
- Wall and column brackets supplied.




MODEL	DESCRIPTION	PRICE £
I10A	ABS housing	155.00

9.1.3 HEAVYE HF22 SERIES INDICATORS



MULTIFUNCTION IP67 STAINLESS STEEL WEIGHT INDICATOR

- Maximum resolution 10,000 divisions.
- Supplied with wall bracket.



MODEL	DESCRIPTION	PRICE £
HF-22C	Stainless steel housing, wide angle backlit LCD display	195.00
HF-22E	Stainless steel housing, LED display	195.00
EXTRAS	Column bracket	25.00

9.1.4 UWE VBM INDICATOR



APPROVED INDICATOR WITH LARGE WIDE ANGLE DISPLAY

- Approved to 3,000 divisions.
- Supplied with bracket for wall, bench and column mounting.
- Single or dual range



MODEL	MAXIMUM RESOLUTION	MAXIMUM BASES	PRICE £
UWE VBM	30,000	1	255.00

Prices includes delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

9.1.5 OHAUS 3000 SERIES INDICATORS



BASIC APPROVED INDICATOR

- Up to 30,000 division resolution. Approved divisions 10,000.

i-DT33P OPTIONAL

i-DT33XW

MODEL	DESCRIPTION	PRICE £
i-DT33P	ABS housing with steel mounting bracket. Optional rechargeable battery, USB or Ethernet	235.00
i-DT33XW	IP66 stainless steel. Optional USB or Ethernet.	367.00
EXTRAS	Rechargeable battery for i-DT33P	44.00
	USB Kit for i-DT33P & i-DT33XW	71.00
	Ethernet Kit for i-DT33P & i-DT33XW	129.00

9.1.6 WHITE BIRD I10S/B SERIES INDICATORS



APPROVED MULTIFUNCTION INDICATOR WITH COLOUR CHANGING BACKLIGHT

- Stainless steel housing.
- Up to 30,000 divisions resolution.
- Wall and column brackets supplied.

MODEL	DESCRIPTION	PRICE £
I10S	IP66 stainless steel housing	225.00
I10B	IP67 stainless steel housing with reversible front housing for desk mounting	255.00
EXTRAS	Amphenol connectors	50.00
	Blue (240v) or yellow (110v) round plug	20.00

9.1.7 FM 19I INDICATOR



APPROVED MULTI-FUNCTION INDICATOR WITH FULL NUMERIC KEYPAD

While stocks last

- Approved to 10,000 divisions.
- Real time clock.
- Supplied with bracket for wall, bench and column mounting.

MODEL	MAXIMUM RESOLUTION	MAXIMUM BASES	PRICE £
FM19i	60,000	1	235.00

Prices includes delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

9.1.8 UWE WSK INDICATOR



STAINLESS STEEL INDICATOR WITH MULTI-SEGMENT CHECKWEIGHER FUNCTIONALITY

- IP67 rating. Alpha numeric keypad for entry of operator and lot numbers.
- Date and time.
- Supplied with wall bracket.



MODEL	MAXIMUM RESOLUTION	MAXIMUM BASES	PRICE £
WSK	30,000	1	325.00

9.1.9 UWE W22 INDICATOR



MULTI-FUNCTION INDICATOR WITH OPTIONAL INTEGRAL PRINTER

- Dual range capability.
- Alphanumeric lot or serial number entry.
- RS232 with date & time output.



MODEL	MAXIMUM RESOLUTION	MAXIMUM BASES	PRICE £
W22	30,000	1	385.00
EXTRAS	Built-in Tally Roll Printer		165.00
	Wall or Pole Bracket		25.00
	Box of 40 paper rolls		40.00

9.1.10 OHAUS 7000 SERIES INDICATORS



APPROVED MULTIFUNCTIONAL STAINLESS STEEL INDICATOR

- Trans-reflective LCD with white backlight 240 x 96 pixels.
- Up to 50,000 division resolution. Approved divisions 10,000.
- Time and date and dynamic weighing function.
- Supports up to 10 load cells.
- Alphanumeric keypad. Hinged front cover for easy servicing.



MODEL	DESCRIPTION	PRICE £
T72XW	IP66 rated stainless steel housing	900.00
EXTRAS	Ethernet Kit	105.00
	USB with I/O Kit	105.00
	COM2 Kit	117.00

Prices includes delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

9.1.11 OHAUS 5000 SERIES INDICATORS



APPROVED MULTIFUNCTION INDICATOR

- Up to 75,000 divisions resolution. Approved divisions 10,000.
- Backlit LCD display 256 x 80 pixels
- Micro SD slot as standard. Time and date.
- Mains powered with optional rechargeable battery.
- Optional Ethernet, WiFi/Bluetooth, 2nd RS232/RS485/USB, I/O and analogue output.



OPTIONS

MODEL	DESCRIPTION	PRICE £
TD52P	ABS housing with powder coated bracket	600.00
TD52XW	IP68 stainless steel housing with stainless steel bracket	810.00
EXTRAS	Dust cover TD52P	26.00
	Dust cover TD52XW	37.00
	Rechargeable Battery Kit	135.00
	2 nd RS232/RS485/USB Interface Kit	164.00
	Analogue Output Kit	208.00
	USB Host and WiFi Dongle	391.00
	I/O with Relay (2 in/4 out)	98.00
Ethernet Kit	129.00	

9.2 PARTS COUNTING INDICATORS

9.2.1 UWE APC INDICATOR



CLASS III APPROVED COUNTING INDICATOR.

- 1:190,000 internal resolution.
- Negative sampling & counting.
- Automatic piece weight enhancement.
- Dual range available for non-stamped applications.
- Supplied complete with wall bracket. Optional table stand.



MODEL	MAXIMUM RESOLUTION	APPROVED RESOLUTION	MAXIMUM BASES	PRICE £
APC	15,000	3,000	1	295.00
EXTRAS	Table Stand			25.00

Prices includes delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

10.1 INDUSTRIAL CONTROLLERS

10.1.1 RINSTRUM R300 SERIES INDICATORS



R320



R323



X320



D320 REMOTE DISPLAY



D323 REMOTE DISPLAY

EC CLASS III APPROVED INDICATORS

- Maximum resolution 30,000. Approved division 4,000.
- Stainless steel swivel bracket option for pole or wall mounting.
- R320 and R323 optional date & time and two isolated outputs and RS232.
- X320 includes 3 isolated outputs and RS232 with configurable printing.
- XD30, D320 & D323 are remote displays.

OPTIONS

MODEL	DESCRIPTION	PRICE £
R320 *	Panel mount, ABS, IP56, 12-24 VDC	250.00
R323-A *	Panel mount, stainless steel, IP66, 12-24 VDC	355.00
R323-C *	Complete stainless steel enclosure, IP66, 12-24 VDC	470.00
R323-D2 *	Complete stainless steel enclosure, IP67, 110-240 VAC	575.00
R323-F *	Complete stainless steel enclosure, IP66, 2.5Ah NiMH battery	740.00
X320-AC2	IP68/IP69K housing, 110-240 VAC	740.00
X320-DC	IP68/IP69K housing, 12-24 VDC	675.00
X320-F	IP68/IP69K housing, 2.5Ah NiMH battery	910.00
D320	Remote display, ABS housing	330.00
D323	Remote display, stainless steel housing	465.00
XD30-AC2	Remote display, IP69k housing, 110-240 VAC	740.00
XD30-DC	Remote display, IP69k housing, 12-24 VDC	675.00
* APPLICATIONS FOR R320 & R323 MODELS		
K342	Basic, weigh only & hold function key	0.00
K344	As K342 plus RS232 with basic printing	45.00
K346	As K344 with 2 basic setpoints and 2 basic outputs (up to 300mA/50	80.00
K354	As K346 plus single input, clock, custom printing and configurable function key	110.00
K356	As K354 plus 2 configurable setpoints and 2 outputs (up to 300 mA/50 VDC)	140.00

Prices include delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

10.1.2 RINSTRUM C300 SERIES INDICATORS



C320



C350



C357



MULTIFUNCTIONAL INDICATOR RANGE WITH RGB BACKLIGHT

- C320 approved. C350/7 approval pending.
- C320 20mm LCD display with six 9 segment characters.
- C350/C357 50mm LCD display with six 9 segment characters.
- Optional WELMEC 7.2 compliant alibi memory.
- Programmable function keys.
- Two RS232 bidirectional serial ports independently configurable for network, printing or remote display functions.
- Two digital inputs with two high-side digital outputs capable of driving low voltage DC actuator.
- Optional real time clock and calendar.
- Optional colour changing backlight, ideal for checkweighing applications.
- C320 single accessory slot for communication or expansion cards.
- C350/C357 2 accessory slots for increased functionality.



MODEL	DESCRIPTION	PRICE £
C320-A *	Panel mount IP65, VDC	240.00
C320-G4 *	Full housing with AA battery boot/desk stand, IP65	280.00
C320-H4 *	Full housing with rear boot and swivel mount, IP65	305.00
C350-AC2 *	IP68 resin alloy housing with stainless steel stand VAC	465.00
C350-DC *	IP68 resin alloy housing with stainless steel stand VDC	405.00
C357-AC2 *	IP69K Stainless steel housing with stainless steel stand VAC	665.00
C357-DC *	IP69K Stainless steel housing with stainless steel stand VDC	610.00
* APPLICATIONS FOR C320, C350 & C357 MODELS		
K301	Basic, weigh only, manual hold function key and animal weighing	0.00
K304	As K301 plus counting, totalizing, clock & calendar, multi-coloured backlight, checkweighing, 8 setpoints, 2 onboard RS232 & alibi memory	110.00
K306	As K304 with 8 advanced set points	170.00

Prices include delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

10.1.3 RINSTRUM R400 SERIES INDICATORS



R420



R423-A PANEL MOUNT



R427-DC/AC4/F

MULTIFUNCTION CLASS III APPROVED INDICATOR

- Up to 32 I/O control points.
- Large LCD two line display 29mm and 18mm with LED backlight.
- Application software for counting, product storage and batching.
- Up to 100,000 division resolution. Approved divisions 10,000.
- Optional desk or wall mount brackets.
- R420 ABS housing panel mount. Front face has an IP65 rating.
- R423 is the stainless steel panel mount version, with IP66 rated front face.
- R427 full stainless steel housing with an IP66 rating.
- Battery packs and mains adaptors available as optional extras.
- LUA Programmable Module converts R420 in to a programmable indicator.



MODEL	DESCRIPTION	PRICE £
R420	Panel mount, ABS, IP65, 12-24 VDC	605.00
R423-A	Panel mount, stainless steel, IP66, 12-24 VDC	750.00
R427-DC	Complete stainless steel enclosure, IP66, 12-24 VDC	970.00
R427-AC2	Complete stainless steel enclosure indicator, IP66, 110-240 VAC	1020.00
R427-F	Complete stainless steel enclosure indicator, IP66, 2.5Ah NiMH battery	1190.00
APPLICATIONS		
K402	250 product data storage	105.00
K410	Filling application, 100 recipe memory, 1 material	105.00
K411	Batching application, 100 recipe memory, 6 materials	210.00
K412	Batching application, 100 recipe memory, 20 materials	295.00
K404	Truck weighing application, standard inbound/outbound with 250 stored trucks	100.00
K405	Truck weighing application, inbound/outbound with axle weights and totalisation	160.00
K481	Summing software for axle weights, up to 9 platforms	0.00
K491	Tilt compensation for onboard weighing systems	205.00
PROGRAMMING MODULE		
M4223	LUA programmable module with Ethernet and USB port	565.00

Prices include delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

10.1.4 OPTIONS FOR RINSTRUM INDICATORS*

PART NUMBER	DESCRIPTION	PRICE £
All INDICATORS		
A10004	Mains adaptor	50.00
A10012	Opto link USB	60.00
A10018	Pole mount insert	30.00
MODELS R320		
M3001	Desk stand (also holds 4 x AA batteries)	40.00
M3002	Desk stand bracket	30.00
M3003	IP65 rear cover	40.00
M3005	Dust cover (pack of 10)	40.00
M3009	Seal	15.00
M3117	IP65 rear housing with rechargeable battery and charger	345.00
M3007 + A10018	Pole mount kit (requires either desk stand, IP65 rear cover or either of the rechargeable batteries with stands)	75.00
MODEL R323		
M3009	Seal	15.00
MODEL C300 Series		
M6201/3/4	Communication card RS232, RS485 or 20mA Loop	100.00
M6902	Converter 0..10V,4..20mA to loadcell input	75.00
MODELS R420 & R423		
M4001	Desk stand	50.00
M4003	Stainless steel wall mount	45.00
M4004 + A10018	Pole mount kit (stainless steel stand and pole mount insert)	75.00
M4005	Dust cover (pack of 10)	65.00
M4009	Seal	15.00
M4103	Rechargeable battery pack IP65	360.00
M4112	IP65 desk mount VAC power supply	160.00
M4201	RS232-232 module	160.00
M4202	RS232/RS485 module	160.00
M4203	RS485/485 module	160.00
M4301	Digital 8 channel I/O module	195.00
M4302	4 button input module	110.00
M4401	Analogue output module (provides one isolated (>500v) 4-20ma or 0-10V analogue output)	295.00
M4501	Data storage device	195.00
M4901	Relay output kit	180.00
M4902	Connection cable for I/O to relay output	40.00
M4903	Converter (0-10v/4-20ma input)	75.00

* Please note options do not include carriage but will be sent with no carriage charge if ordered at the same time as an indicator.

Prices include delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

10.1.5 SYSTEC IT1 INDICATOR



ROBUST IP69K STAINLESS STEEL APPROVED INDUSTRIAL INDICATOR

- Approved up to 6000 divisions. Available in standard enclosure or panel mount versions.
- Options for serial interface, digital I/O and analog outputs.
- IP69k rating for standard enclosures and IP67 for panel mount versions.
- 110mm TFT display.
- Approved up to 10,000 divisions.
- Standard programs for checkweighing and filling with optional I/O modules.
- Integrated signal amplifier for connection of up to 8 load cells.
- Colour changing back light when using checkweighing application.
- Date & time. Calibration possible as single or multi-range.
- Optional alibi memory for internal storage of 1,000,000 weights in approved data archive.



MODEL	DESCRIPTION	PRICE £
IT1	Standard Enclosure 110-240 VAC	655.00
IT1	Panel Mount 110-240 VAC	685.00
IT1	Standard Enclosure or Panel Mount 12-30 VDC	725.00
IT1	Standard Enclosure or Panel Mount - External Battery (Battery not included)	725.00

10.1.6 SYSTEC IT3 INDICATOR



ROBUST IP69K STAINLESS STEEL APPROVED INDICATOR WITH NUMERIC KEYPAD

- Available in standard enclosure or panel mount versions.
- IP69k rating for standard enclosures and IP67 for panel mount versions.
- 130mm TFT display.
- Approved up to 10,000 divisions.
- Standard programs include parts counting, checkweighing, filling, remote controlled systems and truck weighing.
- Colour changing back light when using checkweighing application.
- Integrated signal amplifier for connection of up to 8 load cells.
- Date & time. Calibration possible as single or multi-range.
- Optional serial interface, digital I/O, analog outputs and alibi memory for internal storage of 1,000,000 weights in approved data archive.

ADD COLOURED BACK LIGHT FOR CHECKWEIGHING



MODEL	DESCRIPTION	PRICE £
IT3 Package	Standard Enclosure or Panel Mount 110-240 VAC	1100.00
IT3 Package	Standard Enclosure or Panel Mount 12-30 VDC	1150.00
IT3 Package	Standard Enclosure or Panel Mount - External Battery (Battery not included)	1190.00

Prices include delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

10.1.7 SYSTEC IT2000M WEIGHING MODULE



DIN RAIL MOUNTED PROCESS CONTROLLER

- Ideal for process control applications. Integrated batching functionality.
- Up to 30,000 division resolution, approved up to 6000 divisions.
- Integrated factory calibrated A/D converter to connect up to 8 load cells.
- Stainless steel housing designed for installation on din rail.
- Power supply 12-30 VDC.
- Black box version and separate display also available – POA.



MODEL	DESCRIPTION	PRICE £
IT2000M Basic	IT2000M Weighing Module with Ethernet interface	1075.00
IT2000M Advanced	IT2000M Weighing Module with either Profinet, Profibus DP or Ethernet-IP	1320.00

10.1.8 OPTIONS FOR SYSTEC INDUSTRIAL CONTROLLERS

A range of options for the SysTec industrial controllers. More options are available, please contact us for further information.

DESCRIPTION	PRICE £
General	
Splash Guard Wet Cover	35.00
SIM RS232 or SIM RS485.4 Serial Interface options	65.00
PIM I/O Module 2 In / 2 out 24 VDC	50.00
DAU15 Analog Output Module 0-20mA / 0-10 VDC	185.00
ADM, Analog Scale Interface	305.00
Dual-ADM, Dual Scale Interface (n/a for IT1)	390.00
DUAL-ISM, Dual-channel fast pulse counter input (n/a for IT1)	185.00
Relay/Transistor Module 8 I/O - no power supply or enclosure (requires RS485 Module)	400.00
Relay/Transistor Module 8 I/O - power supply included, no enclosure (requires RS485 Module)	580.00
Relay/Transistor Module 8 I/O - power supply included all in a stainless steel enclosure (requires RS485 Module)	890.00
IT1/IT3 options	
SIO Input/Output Module	130.00
Alibi Memory (IT1 & IT3)	90.00
USB Interface Module (bulkhead or cable connection specify at time of ordering) (IT1 & IT3)	140.00
Ethernet Connection Module (RJ45 or M12 specify at time of ordering) (IT1 & IT3)	90.00
M12 Ethernet Cable – straight connection, 10m (other variations available)	85.00
IT3 Fieldbus options	
PN3 Profinet Module	430.00
PB3 Profibus Module	505.00
ET3 Ethernet/IP Module	430.00
5m Profinet / Ethernet/IP cable (angled/straight M12 - RJ45)	70.00
10m Profinet / Ethernet/IP cable (angled/straight M12 - RJ45)	85.00
Custom Profinet / Ethernet/IP cable	£POA

Prices include delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

10.2 PROGRAMMABLE CONTROLLERS

10.2.1 SYSTEC IT4000E INDICATOR



ADVANCED INDICATOR WITH STANDARD FACTORY APPLICATIONS

- Standard enclosure with IP69K rating or panel mount versions with IP65 rating.
- Mains 110-240 VAC or 12-30 VDC versions available
- Ethernet and USB standard and additional modular hardware allow a wide range of options including serial interface, WLAN, digital I/O and analog outputs.
- Standard prices include analog scale module. Dual scale, digital and external scale modules available.
- Colour TFT display.
- *BASIC/COUNT* program ideal for parts counting, checkweighing, PLU (up to 10 products), up to six user defined fields.
- Other factory programs include *CONTROL/ONLINE*, *DOS* for filling and *TRUCK/ONLINE*.



MODEL	DESCRIPTION	PRICE £
IT4000E Package	Standard Enclosure 110-240 VAC	1515.00
Standard Programs	Basic/Count, Control/Online, DOS, Truck/Online	FOC

10.2.2 SYSTEC IT6000E AND IT8000E INDICATORS



IT6000E



IT8000E



IT6000ET & IT8000ET

FREELY PROGRAMMABLE INDICATOR WITH A WIDE RANGE OF STANDARD FACTORY PROGRAMS OR CUSTOM APPLICATIONS

- Standard enclosure with IP69K rating or panel mount versions with IP65 rating.
- Mains 110-240 VAC or 12-30 VDC versions available
- Ethernet and USB standard and additional modular hardware allow a wide range of options including serial interface, WLAN, digital I/O and analog outputs.
- Standard prices include analog scale module. Dual scale, digital and external scale modules available.
- Colour TFT display.
- Standard and advanced factory programs include *BAG*, *BASIC/COUNT*, *BATCH*, *BIG BAG*, *BULK*, *CHECK*, *CONTROL/ONLINE*, *FILL*, *LOSS IN WEIGHT*, *SQC* and *TRUCK/ONLINE*.
- ET models with touchscreen display.



MODEL	DESCRIPTION	PRICE £
IT6000E Package	Standard Enclosure 110-240 VAC	2090.00
IT6000ET Package	Standard Enclosure 110-240 VAC – Touch Screen	2610.00
IT8000E Package	Standard Enclosure 110-240 VAC	2680.00
IT8000ET Package	Standard Enclosure 110-240 VAC – Touch Screen	3145.00
Standard Programs	Bag, Basic/count, Batch, Big Bag, Control, Dos, Fill, SQC and Truck/Online.	115.00
Advanced Programs	Check, Belt, Bulk, Loss in Weight and Online	290.00

Prices include delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

10.2.3 SYSTEC IT9 INDICATORS



IT9 DESK / WALL MOUNT



IT9 PANEL MOUNT

FREELY PROGRAMMABLE INDICATOR WITH LARGE TOUCH SCREEN DISPLAY

- Robust 10.4" colour TFT touch panel display with an IP69K rating. Optional connection via a USB connector, of a standard PC keyboard.
- Internal approved storage for 1 million weighing transactions. Power-fail-safe storage of data, password protection and battery-backed real-time clock.
- 10 internal slots allowing 'plug and play' for serial, digital and analogue interfaces including USB, Ethernet, RS232, Profibus and Modbus.
- 2 USB ports (1 external, 1 selectable for internal or external connection) with the option for up to 6 further ports.
- Ethernet interface with 10/100 Mbit/s, with integrated web server. Option for up to 6 additional Ethernet interfaces.
- Up to 36 internal opto-isolated inputs and outputs.
- Standard prices include an analog scale module.
- Standard factory programs include Dos, Control/Online and Truck. Additional programs are under development.



MODEL	DESCRIPTION	PRICE £
IT9 Package	Standard Enclosure or Panel Mount 110-240 VAC	3785.00
Standard Programs	Dos, Control/Online, Truck	POA

Prices include delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

10.2.4 OPTIONS FOR THE SYSTEC PROGRAMMABLE CONTROLLERS

A range of options for the SysTec programmable controllers. More options are available, please contact us for further information.

DESCRIPTION	PRICE £
General	
Splash Guard Wet Cover	35.00
SIM RS232 or SIM RS485.4 Serial Interface options	65.00
PIM I/O Module 2 In / 2 out 24 VDC	50.00
DAU15 Analog Output Module 0-20mA / 0-10 VDC	185.00
ADM, Analog Scale Interface	305.00
Dual-ADM, Dual Scale Interface	390.00
DUAL-ISM, Dual-channel fast pulse counter input (n/a for IT4000E)	185.00
Relay/Transistor Module 8 I/O - no power supply or enclosure (requires RS485 Module)	400.00
Relay/Transistor Module 8 I/O - power supply included, no enclosure (requires RS485 Module)	580.00
Relay/Transistor Module 8 I/O - power supply included all in a stainless steel enclosure (requires RS485 Module)	890.00
ITx000E(T)	
USB Socket Type A	115.00
Ethernet socket for ITx000E	100.00
IT8000E	
External Quad Scale ADC box (requires RS485 module and individual ADM modules)	610.00
SPU Interface Expansion Module	275.00
ETX Ethernet/IP Module (cables extra)	505.00
PBX Profibus DP Module	405.00
PNX Profinet Module (cables extra)	505.00
IT9	
AWX Scale interface module	315.00
Internal ethernet cable connection from CPU to underside of housing (M12 or RJ45 specify at time of ordering)	90.00
ENX, Ethernet extension module with M12 or RJ45 socket (specify at time of ordering)	155.00
FBX-PN Profinet Module / FBX-IP, Ethernet / IP Module (M12 or RJ45 specify at time of ordering)	465.00
SMX232 Serial interface SIM RS232	65.00
SMX485 Serial interface SIM RS485.4	90.00
Internal cable connection from CPU with USB socket	115.00
USX, USB extension module	155.00
IOX24, I/O module / IOX42, input/output module	100.00
ISX, fast dual-channel impulse meter input	165.00
AOX, 15-bit analog output module	205.00
AIX, 15-bit analog input module	205.00
FBX-PB, Profibus DP module	465.00

10.2.5 SYSTEC STANDARD PROGRAMS

APPLICATION	IT1	IT3	IT4000E	IT6000E IT8000E	IT9
Filling	FILL	FILL	DOS E	FILL, BAG & BIG BAG	DOS
Data logging / Data transmission	BASIC	BASIC	BASIC/COUNT	BASIC/COUNT	
Multi material batching				BATCH	
Static Checkweighing	CHECK	CHECK	BASIC/COUNT	BASIC/COUNT	
Dynamic Checkweighing				CHECK	
Parts counting	COUNT	COUNT	BASIC/COUNT	BASIC/COUNT	
Loss in weight Control				LOSS IN WEIGHT	
Remotely Controlled	ONLINE	ONLINE	CONTROL/ONLINE	CONTROL/ONLINE	CONTROL/ONLINE
SQC / Average Weight				SQC	
Weighbridge		TRUCK/ONLINE	TRUCK/ONLINE	TRUCK/ONLINE	TRUCK
Product Lookup			BASIC/COUNT (10 items)	BASIC/COUNT (1000 items)	

Prices include delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

10.3 HAZARDOUS AREA CONTROLLERS


ZONE 2/22 INDICATORS

10.3.1 SYSTEC IT1 EX2/22 INDICATOR



ROBUST IP65 STAINLESS STEEL ATEX RATED INDUSTRIAL INDICATOR

- 110mm TFT display.
- Approved up to 10,000 divisions.
- Date & time. Calibration possible as single or multi-range.
- Standard programs include *BASIC, COUNT, FILL, CHECK* and *ONLINE*.
- Colour changing back light when using checkweighing application.
- Optional alibi memory for internal storage of 1,000,000 weights in approved data archive.
- Price includes analog scale module.




MODEL	DESCRIPTION	PRICE £
IT1 EX2/22	Standard Enclosure 110-240 VAC Panel Mount 110-240 VAC	935.00
	Standard Enclosure 12-30 VDC Panel Mount 12-30 VDC	990.00
	Standard Enclosure 12-30 VDC to connect to an external battery Panel Mount 12-30 VDC to connect to an external battery	990.00

10.3.2 SYSTEC IT3 EX2/22 INDICATORS



ROBUST STAINLESS STEEL ATEX RATED INDUSTRIAL INDICATOR WITH NUMERIC KEYPAD

- 130mm TFT display.
- Approved up to 10,000 divisions.
- Date & time. Calibration possible as single or multi-range.
- Standard applications include *BASIC, COUNT, CHECK, FILL, ONLINE* and *TRUCK/ONLINE*.
- Colour changing back light when using checkweighing application.
- Optional alibi memory for internal storage of 1,000,000 weights in approved data archive.
- Price includes analog scale module.



MODEL	DESCRIPTION	PRICE £
IT3 EX2/22	Standard Enclosure 110-240 VAC Panel Mount 110-240 VAC	1355.00
	Standard Enclosure 12-30 VDC Panel Mount 12-30 VDC	1405.00
	Standard Enclosure 12-30 VDC to connect to an external battery Panel Mount 12-30 VDC to connect to an external battery	1445.00

Prices include delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

10.3.3 SYSTEC IT4000E EX2/22 INDICATORS



ATEX RATED STAINLESS STEEL PROGRAMMABLE INDICATOR

- Offers all the same factory applications and options as the standard indicator range.
- Mains 110-240 VAC or 12-30 VDC versions available.
- Approved up to 10,000 divisions.
- Configurable indicator with a wide range of standard factory programs
- Analog or digital scale inputs available.
- Standard programs include, *BASIC/COUNT*, *CONTROL/ONLINE*, *DOS*, and *TRUCK/ONLINE*.
- Prices include analog scale module.



MODEL	DESCRIPTION	PRICE £
IT4000E EX2/22	Standard Enclosure and Panel Mount Version 110-240 VAC	1875.00
	Standard Enclosure and Panel Mount Version 12-30 VDC	2025.00

10.3.4 SYSTEC IT6000E AND IT8000E EX2/22 INDICATORS



ATEX RATED FREELY PROGRAMMABLE STAINLESS STEEL INDICATOR

- Offers all the same factory applications and options as the standard indicator range.
- Mains 110-240 VAC or 12-30 VDC versions available.
- Approved up to 10,000 divisions.
- Freely programmable indicator with a wide range of standard factory programs or custom applications.
- Analog or digital scale inputs available.
- Standard programs include, *BAG*, *BIGBAG*, *BASIC/COUNT*, *BATCH*, *BULK*, *CHECK*, *FILL*, *LOSS IN WEIGHT*, *CONTROL/ONLINE*, *ONLINE OP*, *SQC* and *TRUCK/ONLINE*.
- Prices include analog scale module.



MODEL	DESCRIPTION	PRICE £
IT6000E EX2/22	Standard Enclosure and Panel Mount Version 110-240 VAC	2380.00
	Standard Enclosure and Panel Mount Version 12-30 VDC	2525.00
IT8000E EX2/22	Standard Enclosure and Panel Mount Version 110-240 VAC	2995.00
	Standard Enclosure and Panel Mount Version 12-30 VDC	3135.00

10.3.5 SYSTEC EX 2/22 OPTIONS

A range of options available for the SysTec EX2/22 indicators. More options are available please contact us with specific enquiries.

DESCRIPTION	PRICE £
IT1/IT3 EX2/22 Rechargeable Battery Kit Ah24 (rechargeable battery, charger & connecting cable) 75 – 150 hours	2850.00
IT1/IT3 EX2/22 SIM-Net, Ethernet Connection Module inc. M12 connector (requires M12 plug for self assembly)	260.00
IT1/IT3 EX2/22 M12 Plug with Protective Cap	155.00
IT1/IT3 EX2/22 SIM-USB Connection Module with USB type A socket, inc. 4 m cable (ITXOPT256)	215.00
ITx000E USB cable (4m, connects through gland to main board)	115.00
SIM Serial Interface Module (RS232, 20mA CL or RS485)	65.00
SIM RS485 OPTO Optoisolated Serial Interface	115.00
PIM I/O Module	50.00
DAU15 Analog Output Module 0-20mA / 0-10 VDC	185.00
DUAL-ISM, Dual-channel fast pulse counter input (n/a for IT1EX 2/22)	185.00
External Relay and Transistor I/O see standard options – Safe Area only	
ATEX Declaration of Conformity for use of standard loadcells in Zone 2/22	100.00

Prices include delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

ZONE 1/21 INDICATORS

10.3.6 SYSTEC IT3000EX INDICATORS



ROBUST IP69K STAINLESS STEEL APPROVED INDUSTRIAL INDICATOR WITH NUMERIC KEYPAD

- Mains 230 VAC, 24 VDC or external 12 VDC ex battery versions available.
- Approved up to 10,000 divisions.
- Standard applications include *BASIC*, *CHECK*, *FILL* and *ONLINE*.
- Integrated intrinsically safe I/O 5 VDC 2mA.
- Panel mount version available.
- Price includes analog scale module.



MODEL	DESCRIPTION	PRICE £
IT3000EX	Standard Enclosure 230 VAC	2680.00
IT3000EX	Standard Enclosure 24 VDC	2460.00
IT3000EX	Standard Enclosure 24 VDC with DIN Rail Mounted Safe Area Power Supply	2690.00
IT3000EX	Standard Enclosure 24 VDC with Stainless Steel Safe Area Power Supply	3010.00
IT3000EX	Standard Enclosure 12 VDC with Ex Battery 24Ah T6 & Charger	5345.00

10.3.7 SYSTEC IT8000EX INDICATORS



ATEX RATED FREELY PROGRAMMABLE STAINLESS STEEL INDICATOR

- Mains 230 VAC, 24 VDC or external 12 VDC EX battery versions available.
- Approved up to 10,000 divisions.
- Freely programmable.
- Standard programs include, *BAG*, *BASIC*, *BATCH*, *BIGBAG*, *BULK*, *CHECK*, *FILL*, *FLOW CONTROL*, *ONLINE*, *ONLINE OP* and *TRUCK/ONLINE*.
- Integrated inputs 5 VDC and optional output module 5 VDC or 24 VDC.
- Panel mount version available.
- Price includes analog scale module.



MODEL	DESCRIPTION	PRICE £
IT8000 EX	Standard Enclosure 230 VAC	4340.00
IT8000 EX	Standard Enclosure 24 VDC	3690.00
IT8000 EX	Standard Enclosure 24 VDC with DIN Rail Mounted Safe Area Power Supply	3920.00
IT8000 EX	Standard Enclosure 24 VDC with Stainless Steel Safe Area Power Supply	4240.00
IT8000 EX	Standard Enclosure 12 VDC with Ex Battery 24Ah T6 & Charger	6590.00

Prices include delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

10.3.8 SYSTEC EX 1/21 OPTIONS

A range of options available for the SysTec EX1/21 indicators

DESCRIPTION	PRICE £
FILL Software Package (IT3000 EX only)	60.00
ONLINE P Software Package (IT3000 EX only)	60.00
OUT4-Exi Digital Output Module 5V (IT8000 EX only)	145.00
REL4-Exi Digital Output Module 24V (IT8000 EX only)	200.00
SIM 10mA / S10mA Intrinsically Safe Serial Interface	145.00
SAFE AREA OPTIONS	
TS3000 safe area serial interface including SIM / S10	705.00
TS Ethernet safe area convertor module including SIM / S10	1915.00
TS-REL 485 Relay Module Complete (in stainless steel housing) including SIM & Interface Module	1410.00
Relay Module Separate (components only) including SIM & Interface Module	1295.00
Charger for Rechargeable Battery EX 24Ah T6	670.00

10.4 SYSTEC SOFTWARE

10.4.1 SYSTEC PC PROGRAMS

SOFTWARE	DESCRIPTION	PRICE £
SERVICE/PROGRAMMING UTILITIES		
RTC <i>WIN</i>	Software development environment with editor, compiler, debugger and test tools	POA
IT <i>CONFIGURATOR</i>	Software for configuration and print formatting	175.00
USER APPLICATIONS		
PC <i>SQC</i> Version 3.x	PC program for the recording of test results in compliance with the Regulation for Prepackaged Goods	3185.00
PC <i>BATCH</i> <i>Full Version</i>	Process control and data management with raw material, recipe, order and personnel files for central control of up to 50 <i>BATCH</i> controllers	16140.00
PC <i>BATCH</i> <i>Data Management</i>	With raw material, recipe and parameter files for the central control of up to 50 <i>BATCH</i> controllers	6455.00
RTC <i>MONITOR</i>	Software for service purposes to monitor and remotely control application programs over TCP/IP connections	175.00
SQL <i>DRIVER</i>	Software for embedding of external PC SQL databases into application programs	840.00
PC <i>ReadIT</i>	To read and store records via serial and Ethernet interfaces	310.00
PC <i>COM+</i>	For the communication between <i>ONLINE</i> program and windows programs such as Access, Excel, Visual basic or SAP systems. Includes PC <i>ARCHIVE</i> with the ability of W&M approved storage of weighing data on PC hard disk	310.00
ScaleView (primary)	W&M approved, PC-based weight display application for use as either a primary or secondary display, single scale licence (multiple scale licences available, £POA)	390.00
ScaleView (secondary)		260.00

Prices include delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

11.1 LINE PRINTERS

11.1.1 STAR SP700 SERIES



TALLY ROLL DOT MATRIX PRINTER

- 7 pin impact printer. 76mm width roll paper.
- High speed print approximately 2.5 lines per second.
- RS232 serial interface
- Mains only.
- 158mm(w) x 234mm(d) x 193mm(h).
- SP712: **While stocks last**

MODEL	PRICE £
SP712 – tear bar	POA
SP742 – auto cutter	POA
Box of 20 paper rolls	POA

11.1.2 BIXILON SRP-275III



DOT MATRIX RECEIPT PRINTER

- Print speed up to 250mm per second.
- Maximum media width 76mm, print width 63mm.
- RS232 serial interface and USB
- Mains only.
- 160mm(w) x 239mm(d) x 157mm(h).

MODEL	PRICE £
SRP-275III	POA

11.1.3 STAR TSP-651 & EPSON TM-T88V



HIGH SPEED THERMAL LINE PRINTERS

- Epson: 56/42 columns. Printing up to 200mm per second.
- Star: 94/48 columns. Printing up to 150mm per second.
- Suitable for indicators/scales with RS232 printer output.
- Star: two colour printing capability with cutter.
- Epson: external PSU. Star: external mains cable (included).

MODEL	PRICE £
STAR TSP-654IID	POA
EPSON TM-T88V	POA

11.1.4 EPSON TM-U295 & STAR SP298



DOT MATRIX SLIP PRINTERS

- 9 pin dot matrix impact printer.
- Up to 63mm print width. Copy capability – original + 2 copies
- External mains power supply included. RS232 interface
- Star: 180mm(w) x 190mm(d) x 138.5mm(h).
- Epson: 180mm(w) x 190mm(d) x 101mm(h).

MODEL	PRICE £
EPSON TM-U295	POA
STAR SP298	POA

Prices include delivery but exclude VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

11.2 LABEL PRINTERS

11.2.1 DATECS LP-50



THERMAL BAR CODE LABEL PRINTER

- 48mm print width. 8 dots per mm / 203dpi print resolution.
- Various bar code formats. Suitable for selected UWE scales.
- 12v mains supply – PSU included.
- Can print on continuous thermal paper.

MODEL	PRICE £
LP-50	POA
Roll of 1000 labels	POA

11.2.2 CITIZEN CL-S521 & CL-S621



ROBUST DESKTOP LABEL PRINTER

- For use with selected scales/indicators with RS232 or USB output.
- Direct & thermal transfer printing (where specified).
- 203dpi print resolution. Text, bar code and graphics.
- Optional Ethernet and peelers.

MODEL	LABEL WIDTH mm	PRINT SPEED IPS	THERMAL TRANSFER	CORE DIAMETER mm	MAX. LABEL ROLL DIAMETER mm	PRICE £
CL-S521	12.5-118.1	6	No	25	125	POA
CL-S621	12.5-118.1	4	Yes	25	125	POA
OPTIONS	Ethernet					POA
	Peeler					POA

11.2.3 ZEBRA GK420 & ZD420



COMPACT DESKTOP LABEL PRINTER

- For use with selected scales/indicators with RS232 or USB output.
- Direct (D) & thermal transfer (T) printing (where specified).
- 203dpi print resolution. Text, bar code and graphics.
- Real time clock. Black dot and gap sensor.
- GK420D: **While stocks last**

MODEL	LABEL WIDTH mm	PRINT SPEED IPS	THERMAL TRANSFER	CORE DIAMETER mm	MAX. LABEL ROLL DIAMETER mm	PRICE £
GK420D	33.8-109.2	6	No	12.7	127	POA
ZD421T	15 - 112	6	Yes	12.7 or 25.4	127	POA
ZD421D	15-108	6	No	12.7 or 25.4	127	POA
OPTIONS	Peel off module for Zebra ZD421					POA

Prices include delivery but exclude VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	-----------------------------------	------------	---------	--------------------------	--------

11.3 REMOTE DISPLAYS

11.3.1 RINSTRUM REMOTE DISPLAY



D732



D841



D850

SUPER BRIGHT LED REMOTE DISPLAYS

- 120° viewing angle.
- RS232/485 serial input on all models or optional Ethernet on the D840, D841 & D850.
- D732 & D841 feature dedicated red / green traffic lights



MODEL	DESCRIPTION	PRICE £
D730 – VAC	480mm(w) x 150mm(h) x 90mm(d). 6 x 75mm high digits. No traffic lights.	945.00
D732 – VAC	480mm(w) x 150mm(h) x 90mm(d). 6 x 75mm high digits. With traffic lights.	1005.00
D840 – VAC	760mm(w) x 150mm(h) x 90mm(d). 100mm digit height. 6 digits + annunciators or 7 digits. Alphanumeric. No traffic lights.	1305.00
D840 – VAC, Ethernet		1560.00
D841 - VAC	760mm(w) x 150mm(h) x 90mm(d). 100mm digit height. 6 digits + annunciators or 7 digits, Alphanumeric. With traffic lights.	1485.00
D841 – VAC, Ethernet		1735.00
D850 – VAC	799mm(w) x 200mm (h) x80 mm(d). 140mm digit height. Double row. 6 digits + annunciators or 7 digits. Alphanumeric. No traffic lights.	1695.00
D850 – VAC, Ethernet		1935.00
OPTIONS	Weather Hood (all models)	120.00
	Mounting Plate (all models)	90.00

11.3.2 RGB REMOTE DISPLAYS



WA-1 Mini



WA-1 Optima




WA-2 Professional



WA-2 Professional Inox

LED REMOTE DISPLAYS WITH INTEGRATED ROOF

- Wide viewing angle.
- All models alpha-numeric.
- RS232 and RS485 standard on all models or Ethernet as an option.
- Mains powered



WA-1 OPTIMA & WA-2 MODELS

WA-1 MINI

MODEL	DESCRIPTION	PRICE £
WA-1 Mini	Polycarbonate housing. IP66 400mm(w) x 150mm(h) x 40mm(d) (55mm with roof) 60mm high digits	610.00
WA-1 Optima	Powder coated steel housing. IP65 426mm(w) x 164mm(h) x 60mm(d) (91mm with roof) 104mm high digits	820.00
WA-2 Professional	Powder coated steel housing. IP65 800mm(w) x 180mm(h) x 40mm(d) (86mm with roof) 120mm high digits	945.00
WA-2 Professional Inox	Stainless steel housing. IP65 800mm(w) x 180mm(h) x 40mm(d) (86mm with roof) 120mm high digits	1185.00
EXTRAS	Ethernet interface	40.00

Prices include delivery but exclude VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

11.4 INTERFACE HARDWARE

11.4.1 SERIAL CABLES AND CONNECTORS



- Serial cables for bespoke applications up to 2m in length.
- Wiring and fitting to suit individual requirements. Pricing for a single application.

MODEL	PRICE £
RS232 CABLE	50.00
ETHERNET CABLE	50.00
ETHERNET CABLE WITH GLAND	55.00
USB CABLE WITH GLAND	55.00
IP68 CONNECTOR WITH SEALING CAP – ETHERNET OR USB	95.00
IP68 PANEL MOUNT SOCKET WITH SEALING CAP – ETHERNET OR USB	50.00

11.4.2 REMOTE BUTTONS



- IP65 REMOTE BUTTONS
- ABS or Polycarbonate enclosures.
 - Complete assembly with cable and gland.



MODEL	PRICE £
SMALL ABS BUTTON	80.00
LARGE POLYCARBONATE BUTTON	100.00

11.4.3 FOOT SWITCH



- IP65 SHROUDED FOOT SWITCH
- Shock proof technopolymer housing.
 - Non-stick rubber feet with floor fixing holes.
 - Pedal lock to prevent operation until operators foot is fully inside shroud.
 - Complete assembly with cable and gland.



MODEL	PRICE £
SHROUDED FOOT SWITCH	155.00

11.4.4 INPUT DEVICES



- Heavy duty shaft encoder with 36kg load rating.
- Mifare RFID technology RFID reader

MODEL	PRICE £
IP65 RATED SHAFT ENCODER	POA
IP66 RFID READER	POA

Prices include delivery but exclude VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

11.5 SCANNERS

11.5.1 QUICKSCAN SCANNER




LIGHT WEIGHT ERGONOMIC CORDED OR CORDLESS SCANNERS

- Wide scan angle allowing longer bar codes to be read at shorter distance.
- RS232 or USB interface. Corded IP42 & cordless IP30.
- Rated for 1.5m drop onto concrete surface.
- User replaceable scan windows.
- Cordless model supplied with radio base station and recharging unit. Radio range 25m. 2D enabled with 'green spot' technology.

MODEL	PRICE £
QUICKSCAN LITE CORDED	POA
QUICKSCAN MOBILE 1D	POA
QUICKSCAN MOBILE 2D	POA

11.5.2 GRYPHON SCANNER



CORDED OR CORDLESS SCANNERS WITH 'GREEN SPOT' GOOD READ INDICATION

- RS232 or USB interface. Wide range of barcode types supported.
- IP52 and rated for 1.8m drop onto concrete surface.
- Read range from near contact to over 300mm.
- Cordless model supplied with radio base station and recharging unit. Radio range 30m.

MODEL	PRICE £
GRYPHON CORDED	POA
GRYPHON CORDLESS 2D	POA

11.5.3 POWERSCAN SCANNER



CORDED OR CORDLESS SCANNERS WITH 'GREEN SPOT' GOOD READ INDICATION

- RS232 or USB interface. Wide range of barcode types supported.
- IP65 (IP64 with LCD display) and rated for 2.0m drop onto concrete surface.
- Read range from near contact to over 1m in standard range (12.5m in Auto range).
- Cordless model supplied with radio base station and recharging unit. Radio range 30m.

MODEL	PRICE £
POWERSCAN CORDED	POA
POWERSCAN CORDLESS	POA
POWERSCAN CORDLESS with 4 key display	POA

11.5.4 ATEX RATED BARCODE SCANNER



CORDED OR CORDLESS ATEX RATED SCANNER

- RS232/422 or USB interface options.
- IP65 and rated for 2.0m drop onto concrete surface.
- Options available to read 2D and stacked pdf barcodes.

MODEL	DESCRIPTION	PRICE £
ISCAN 101	ATEX Zone 1/21 Corded 1D barcodes	POA
ISCAN 102	ATEX Zone 2/22 Corded 1D barcodes	POA
ISCAN 211	ATEX Zone 1/21 Cordless 1D barcodes	POA
ISCAN 212	ATEX Zone 2/22 Cordless 1D barcodes	POA

Prices include delivery but exclude VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

12.1 LOAD CELLS & JUNCTION BOXES

12.1.1 LOAD CELLS

- A range of C3 Approved load cells for all applications.
- Supplied with accessories where shown.
- Many more types available. Please ask for details.



UDB



UDA



SQB-S



DEE



ZSFY



Zemic L6N



Zemic BM6G



Zemic H8C

MODEL	RANGE OF CAPACITIES kg	APPLICATION	MATERIAL	IP RATING	ACCESSORIES	PRICE £
UDB	15-1500	Bench/Floor	Aluminium	65	No	45.00
UDA	100-500	Floor	Aluminium	65	No	85.00
SQB	1000-2500	Platform	Steel	67	Yes	95.00
SQB-S	1000-2500	Platform	Stainless Steel	68	Yes	140.00
SQB-S	3000-5000	Platform	Stainless Steel	68	Yes	195.00
DEE	100-500	"S"	Steel	65	Yes	85.00
ZSFY	10-40 tonnes	Weighbridge	Stainless Steel	68	Yes	290.00
Zemic L6N	10-50	Bench	Aluminium	65	No	55.00
Zemic L6E3	50-500	Bench/Floor	Aluminium	65	No	75.00
Zemic L6G	50-500	Floor	Aluminium	65	No	95.00
Zemic B6N	10-50	Bench	Stainless Steel	67	No	195.00
BM6G (Small)	10-50	Bench	Stainless Steel	69K	No	295.00
BM6G (Large)	20-500	Floor	Stainless Steel	69K	No	295.00
H8C	500-1500	Platform	Steel	67	Yes	125.00

12.1.2 JUNCTION BOXES

STAINLESS STEEL JUNCTION BOX



ATEX JUNCTION BOX

- Either stainless steel or aluminium housing. IP65 rating.
- Parallel or serial mode. 4, 6, & 8 cable options.
- Highly accurate individual potentiometers.

MODEL	MATERIAL	MAX. NO. CABLES	PRICE £
J-BOX-SS-4	Stainless Steel	4	75.00
J-BOX-SS-6	Stainless Steel	6	75.00
J-BOX-SS-8	Stainless Steel	8	75.00
J-BOX-ATEX	Stainless Steel	4	270.00

12.1.3 LOAD CELL ACCESSORIES



- Load cell feet available in M12 and M16 please specify at time of ordering.

DESCRIPTION	PRICE £
Cup and ball self levelling feet for FW platforms	20.00
Stainless Steel cup and ball self levelling feet for FWS platforms	30.00
Weigh beam fixed rubber feet	10.00
Replacement weigh beam cable	50.00

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

13.1 INDIVIDUAL WEIGHTS

13.1.1 INDIVIDUAL ADJUSTED, STAMPED AND M1 WEIGHTS



METRIC	BRASS CYLINDRICAL		IRON HEXAGONAL		IRON BAR		
	M1	STPD	M1	STPD	M1	M3	STPD
1g	14.00	14.00	-	-	-	-	-
2g	15.00	15.00	-	-	-	-	-
5g	16.00	16.00	-	-	-	-	-
10g	20.00	20.00	-	-	-	-	-
20g	20.00	20.00	-	-	-	-	-
50g	25.00	25.00	-	-	-	-	-
100g	30.00	30.00	15.00	19.00	-	-	-
200g	35.00	35.00	16.00	20.00	-	-	-
500g	50.00	50.00	16.00	20.00	-	-	-
1kg	70.00	70.00	17.00	21.00	-	-	-
2kg	160.00	160.00	20.00	24.00	-	-	-
5kg	350.00	350.00	-	-	50.00	45.00	54.00
10kg	615.00	615.00	-	-	70.00	65.00	76.00
20kg	1030.00	1030.00	-	-	90.00	85.00	96.00
25kg	-	-	-	-	125.00	-	180.00
50kg	-	-	-	-	295.00	-	-

13.2 BOXES FOR WEIGHTS

SECTION 13.2.1 BOXES FOR INDIVIDUAL WEIGHTS



WEIGHT	VELVET LINED WOODEN BOXES E1, E2 & F1	UNLINED WOODEN BOXES F2 & M1	LINED PLASTIC BOXES E2	LINED PLASTIC BOXES F1, F2 & M1
1-200g	40.00	27.00	9.00	3.00
500g	50.00	31.00	11.00	6.00
1kg	75.00	48.00	12.00	6.00
2kg	75.00	50.00	16.00	6.00
5kg	110.00	100.00	31.00	12.00
10kg	130.00	100.00	31.00	17.00
20kg	665.00	415.00	-	-
50kg	930.00	645.00	-	-

SECTION 13.2.2 BOXES FOR WEIGHT SETS



- Wooden or plastic boxes for up to 7 weights for "tailor-made" sets. Select size by using the highest single weight. Boxes are supplied with tweezers and gloves.

HIGHEST FITTING SINGLE WEIGHT	VELVET LINED WOODEN BOXES E1, E2 & F1	UNLINED WOODEN BOXES F2 & M1	PLASTIC CARRYING CASE
200g	250.00	150.00	-
500g	-	165.00	110.00
1kg	370.00	225.00	-
2kg	430.00	240.00	-
5kg	540.00	360.00	220.00
10kg	590.00	360.00	-

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	----------------	--------------------------	--------

13.3 SLOTTED AND CAST IRON BLOCK WEIGHTS



13.3.1 SLOTTED IRON WEIGHTS (TO SUIT 12MM ROD)


WEIGHT	DIA x HT mm	M1
100g	47 x 11	15.00
200g	50 x 18	15.00
500g	80 x 15	15.00
1kg	97 x 22	25.00
2kg	105 x 36	25.00
5kg	154 x 43	55.00
10kg	210 x 50	75.00
20kg	280 x 52	125.00

WEIGHT	DIA x HT mm	M1 & M2
0.5N and below		20.00
1N	47 x 11	15.00
2N	50 x 18	15.00
5N	80 x 15	15.00
10N	97 x 22	25.00
20N	105 x 36	25.00
50N	154 x 43	55.00
100N	210 x 50	75.00
200N	280 x 52	125.00

IRON HANGERS		
500g/5N	280mm stem	30.00
1kg/10N	460mm stem	30.00

Slotted brass weights available upon request

13.3.2 CAST IRON BLOCK WEIGHTS



- Adjusted to + M1 tolerance.

WEIGHT	DIMENSIONS W x D x H mm.	PRICE £ EACH
100kg	360 x 360 x 150	455.00
250kg	485 x 485 x 210	925.00
500kg	485 x 485 x 375	1425.00
1000kg	1200 x 600 x 240	2745.00

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	----------------	--------------------------	--------

13.4 INDIVIDUAL & BOXED SETS OF STAINLESS STEEL WEIGHTS

13.4.1 INDIVIDUAL WEIGHTS



- 5kg - 20 kg supplied in hinged cases.
- 10g – 2kg supplied in individual padded plastic cases.
- 1g - 10g supplied in pill style boxes.
- E1 & E2 weight POA

	M1	F1
1-500mg	15.00	20.00
1g	15.00	30.00
2g	15.00	30.00
5g	15.00	30.00
10g	15.00	30.00
20g	20.00	40.00
50g	20.00	45.00
100g	25.00	60.00
200g	30.00	70.00
500g	75.00	100.00
1kg	95.00	125.00
2kg	155.00	245.00
5kg	295.00	375.00
10kg	495.00	595.00
20kg	595.00	745.00

13.4.2 BOX SETS OF WEIGHTS



- All sets are supplied with a handling glove and forceps.

	M1	F1
2kg – 1mg	495.00	595.00
1kg – 1mg	375.00	395.00
500g – 1mg	225.00	345.00
200g – 1mg	195.00	295.00

13.4.3 CUSTOM STAINLESS STEEL WEIGHTS



- Stainless steel weights available in Slotted, Hook, Bar and with a Grip Handle.

	Slotted	Hook	Grip Handle	Bar	M1	F1
1g	YES	YES	-	-	7.00	14.00
2g	YES	YES	-	-	14.00	14.00
5g	YES	YES	-	-	14.00	20.00
10g	YES	YES	-	-	14.00	20.00
20g	YES	YES	-	-	14.00	25.00
50g	YES	YES	-	-	20.00	35.00
100g	YES	YES	-	-	25.00	40.00
200g	YES	YES	-	-	25.00	45.00
500g	YES	YES	-	-	45.00	55.00
1kg	YES	YES	-	-	80.00	135.00
2kg	YES	YES	-	-	120.00	165.00
5kg	YES	YES	YES	YES	245.00	300.00
10kg	YES	YES	YES	YES	460.00	590.00
20kg	YES	YES	YES	YES	815.00	980.00
500g	Hangers for Slotted Weights				45.00	55.00
1kg					80.00	135.00

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	----------------	--------------------------	--------

13.5 OIML R111 & TRADE ADJUSTED MAXIMUM PERMISSIBLE ERRORS

NOMINAL WEIGHT	M3 + OR -	TRADE ADJUSTED + ONLY	M1 + OR -	F2 + OR -	F1 + OR -	E2 + OR -	E1 + OR -
1 mg	-	0.20	0.20	0.06	0.020	0.006	0.003
2 mg	-	0.20	0.20	0.06	0.020	0.006	0.003
5 mg	-	0.20	0.20	0.06	0.020	0.006	0.003
10 mg	-	0.25	0.25	0.08	0.025	0.008	0.003
20 mg	-	0.30	0.30	0.10	0.03	0.010	0.003
50 mg	-	1.20	0.40	0.12	0.04	0.012	0.004
100 mg	-	1.50	0.50	0.15	0.05	0.016	0.005
200 mg	-	2.00	0.60	0.20	0.06	0.020	0.006
500 mg	-	2.50	0.80	0.25	0.08	0.025	0.008
1g	10.00	5.00	1.00	0.30	0.10	0.030	0.010
2g	12.00	5.00	1.20	0.40	0.12	0.040	0.012
5g	16.00	10.00	1.60	0.50	0.16	0.050	0.016
10g	20.00	20.00	2.00	0.60	0.20	0.060	0.020
20g	25.00	20.00	2.50	0.80	0.25	0.080	0.025
50g	30.00	30.00	3.00	1.00	0.30	0.10	0.030
100g	50.00	30.00	5.00	1.60	0.50	0.16	0.05
200g	100.00	50.00	10.00	3.00	1.00	0.30	0.10
500g	250.00	100.00	25.00	8.00	2.50	0.80	0.25
1kg	200.00	200.00	50.00	16.00	5.00	1.60	0.50
2kg	1000.00	400.00	100.00	30.00	10.00	3.00	1.00
5kg	2500.00	800.00	250.00	80.00	25.00	8.00	2.50
10kg	5000.00	1600.00	500.00	150.00	50.00	16.00	5.00
20kg	10000.00	3200.00	1000.00	300.00	100.00	30.00	10.00
25kg	-	4000.00	-	-	-	-	-
50kg	25000.00	8000.00	2500.00	800.00	250.00	80.00	25.00

13.6 COMPOSITION OF WEIGHT SETS

Set from 1mg to:-	50g	100g	200g	500g	1kg	2kg	5kg	10kg
Milligram weights	1mg	1mg	1mg	1mg	1mg	1mg	1mg	1mg
	2mg	2mg	2mg	2mg	2mg	2mg	2mg	2mg
	2mg	2mg	2mg	2mg	2mg	2mg	2mg	2mg
	5mg	5mg	5mg	5mg	5mg	5mg	5mg	5mg
	10mg	10mg	10mg	10mg	10mg	10mg	10mg	10mg
	20mg	20mg	20mg	20mg	20mg	20mg	20mg	20mg
	20mg	20mg	20mg	20mg	20mg	20mg	20mg	20mg
	50mg	50mg	50mg	50mg	50mg	50mg	50mg	50mg
	100mg	100mg	100mg	100mg	100mg	100mg	100mg	100mg
	200mg	200mg	200mg	200mg	200mg	200mg	200mg	200mg
Sub-total	1.11g	1.11g	1.11g	1.11g	1.11g	1.11g	1.11g	1.11g
Gram weights	1g	1g	1g	1g	1g	1g	1g	1g
	2g	2g	2g	2g	2g	2g	2g	2g
	2g	2g	2g	2g	2g	2g	2g	2g
	5g	5g	5g	5g	5g	5g	5g	5g
	10g	10g	10g	10g	10g	10g	10g	10g
	20g	20g	20g	20g	20g	20g	20g	20g
	20g	20g	20g	20g	20g	20g	20g	20g
	50g	50g	50g	50g	50g	50g	50g	50g
		100g	100g	100g	100g	100g	100g	100g
			200g	200g	200g	200g	200g	200g
Kilogram weights			200g	200g	200g	200g	200g	200g
				500g	500g	500g	500g	500g
					1kg	1kg	1kg	1kg
						2kg	2kg	2kg
						2kg	2kg	2kg
Total	111.11g	211.11g	611.11g	1111.11g	2111.11g	6111.11g	11111.11g	21111.11g

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
----------------------	------------	-----------------------------	---------------------------	------------	---------	-----------------------------	--------

ALL PRICES ON THIS PAGE ARE RECOMMENDED SELLING PRICES

All our weights can be certified by either UKAS or non-UKAS accredited trading standards laboratories for ISO 9000 or other purposes. The weights will be certified "traceable to national standards". Please note, if a weight is to be used for "trade purposes", it must be stamped in accordance with Weights and Measures Regulations.

14.1 STAMPING FEES (WEIGHING INSTRUMENTS)

CAPACITY	CLASS III PRICE £ (LIST)	CLASS III Price £ (NET)
UP TO 15kg	47.00	30.55
15-100kg	55.00	35.75
100-250kg	90.00	58.50
250-1000kg	135.00	87.75
1000-3000kg	195.00	126.75

UP TO 15KG	CLASS II PRICE £ (LIST)	CLASS II Price £ (NET)
e = d = 0.01g	195.00	126.75
e = d = 0.1g (or 1g)	135.00	87.75
e = 10 x d	90.00	58.50

e = approved division
d = non-approved division

Class III prices are for single range machines only. Multiple ranges incur a 50% surcharge for each additional range.

Please note scales of maximum capacity not greater than 100kg, where e=10xd, or where an extended indication can be displayed temporarily, are not legal for use for direct sales to the public. (Non-automatic Weighing Instruments Regulations 2000, Schedule 2, paragraph 14).

14.2 CERTIFICATION FEES

STANDARD (25kg MAX.)	FEE PER WEIGHT £
M1 UKAS	35.00
F1 UKAS	55.00
E2 UKAS	85.00

STANDARD (25kg MAX.)	FEE PER WEIGHT £
M1 In House Certificate non-traceable	10.00
M1 Non-UKAS traceable	20.00
F1 Non-UKAS traceable	30.00
E2 Non-UKAS traceable	40.00

ALL PRICES IN THIS SECTION ARE NET TRADE

14.3 DELIVERY CHARGES - MAINLAND UK

SECTIONS	DETAILS	PRICE £	
1-7, 9-11	No charge - all goods dispatched by next-day carrier Individual pocket scales will be sent by post, 2 or more will normally be sent by carrier	0.00	
	Extra charge for sending individual items above by next day carrier	8.00	
8	Platforms, weigh beams & bases	POA	
12-13, 15 Load cells, weights & spares	Items up to 2kg will normally be sent by letter or parcel post. Orders from 2kg to 25kg in weight will normally be sent by carrier.		
	Cartons of individual or mixed items up to 25kg (subject to Royal Mail volumetric tariff)	UP TO 2kg 2kg - 25kg	8.00 10.00
	Single deliveries of mixed items over 25kg	1ST CARTON (UP TO 25KG) ADDITIONAL CARTONS	10.00 9.00
	Weights over 100kg will normally be sent by pallet	PER PALLET	POA
EXTRA CHARGE FOR SPECIAL DELIVERIES:			
	AM delivery - up to 10kg	7.00	
	9.30 - 11.00 am delivery - up to 10kg	12.00	
	Saturday delivery - in addition to am surcharge up to 10kg	18.00	
	2 day offshore delivery (including Eire) - per consignment	24.00	
	Carriage forward & return carriage - per consignment	14.00	

14.4 DISCOUNT STRUCTURE

SECTIONS	DISCOUNT	DELIVERY
1-7, 9-11	35%	INCLUDED
8, 12, 13 (PLATFORMS, LOADCELLS & WEIGHTS)	35%	EXTRA
14 (DELIVERY)	NET	EXTRA
15 (SPARES)	35%	EXTRA

Prices include delivery but exclude VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

15 SPARES (RECOMMENDED SELLING PRICE)

Price List March 2025

Model	Load Cell/ Flexure	Main PCB	A/D Board	Power Board	Keypad	Buttons	Fascia/ Overlay	Goods Plate	Under Platter	Display	Top Case/ Front Housing	Btm Case/ Back Housing	Adaptor/ Charger/ Transformer	Dust Cover	Foot	Battery	Column To Base Bracket	Misc Switch/ Socket	E-Prom
-------	-----------------------	----------	-----------	-------------	--------	---------	--------------------	-------------	---------------	---------	----------------------------	---------------------------	-------------------------------------	------------	------	---------	------------------------	------------------------	--------

WHITE BIRD

W31/31S	85	85	-	-	25	-	25	25	25	-	-	-	35	-	5	35	-	6	-
I10A	-	85	-	-	-	-	25	-	-	-	15	15	35	-	-	35	-	6	-
I10B	-	85	-	35	-	-	25	-	-	-	25	45	-	-	-	35	-	6	-
I10S	-	85	-	-	-	-	25	-	-	-	15	35	-	-	-	35	-	6	-
I30	-	50	-	-	-	-	25	-	-	-	15	25	35	-	-	-	-	6	-
I30S	-	50	-	-	-	-	25	-	-	-	25	35	35	-	-	-	-	6	-

RINSTRUM

MODEL	Main Board/Electronics	Keypad	Overlay	Keypad & Overlay	Fascia & Lens	Front Lens, Keypad & Overlay	Front Enclosure	Rear Cover	Housing	Gasket	Hardware Kit	AC Power Supply	Battery	Cable Glands
R320	175	15	17	-	45	-	-	-	-	20	15	-	195	35
R323	225	-	-	100	-	125	-	-	250	25	40	115	170	30
R420	450	25	-	-	30	-	-	-	-	25	-	-	-	20
R423	510	-	-	140	-	-	130	-	-	15	-	-	-	-
X320	365	-	50	-	-	-	70	85	-	-	-	POA	POA	20
C320	350	-	25	-	-	-	35	-	-	-	-	-	-	-
C350	485	-	35	-	-	-	-	-	135	-	-	20	-	21-26
C357	485	-	30	-	-	-	-	-	300	-	-	20	-	30

SYSTEC

MODEL	Main Board AC	Main Board DC	CPU Board	Power Unit AC	Power Unit DC	ADM	Display Module	TFT Display	Keypad / Membrane Keyboard	Housing/Top Housing	Base Plate Housing	Panel Mount Housing
IT1	335	395	-	-	-	305	-	115	75	275	-	305
IT1 Ex2/22	453	491	-	-	-	305	-	115	135	455	-	455
IT1000	390	390	-	-	-	305	-	-	75	300	-	335
IT1000 Ex2/22	500	500	-	-	-	-	-	-	-	-	-	-
IT3	425	485	-	-	-	305	-	150	185	485	-	530
IT3 Ex2/22	496	548	-	-	-	305	-	150	225	635	-	680
IT3000E	570	620	-	-	-	305	155	-	-	-	-	-
IT3000 Ex2/22 / M	370	370	-	-	-	305	155	-	-	-	-	-
IT3000 Ex	-	555	-	1045 / 1205	590/470	345	185	-	-	455	245	815
IT4000E	-	-	780	300	495	305	-	425	180	530	-	590
IT4000E Ex2/22	-	-	780	435	585	305	-	-	-	800	-	865
IT6000E	-	-	905	300	495	305	-	425	180	530	-	590
IT6000ET	-	-	1020	230	-	-	-	395	360	370	-	370
IT6000E Ex2/22	-	-	905	435	585	305	-	425	-	800	-	865
IT8000E	-	-	1250	300	495	305	-	425	250	530	-	590
IT8000ET	-	-	1330	-	-	-	-	395	360	370	-	370
IT8000E Ex2/22	-	-	1250	435	585	305	-	425	-	800	-	865
IT8000 Ex	-	1490	-	1090	-	425	245	-	-	695	-	815
IT9	640	-	-	275	395	-	-	648	-	460	190	460

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	--------

15 SPARES (RECOMMENDED SELLING PRICE)

Price List March 2025

Model	Load Cell/ Flexure	Main PCB	A/D Board	Power Board	Display Board	Keypad	Buttons	Fascia/ Overlay	Goods Plate	Under Platter	Display	Top Case/ Front Housing	Btm Case/ Back Housing	Adaptor/ Charger/ Transformer	Dust Cover	Foot	Battery	Column To Base Bracket	Misc Switch/ Socket	E-Prom
UWE																				
ABM-P/B	50	165	-	-	-	25	4	25	55	-	45	35	30	35	6	5	35	25	6	20
ABM-F/L/XL	105	165	-	-	-	-	4	25	90	-	45	35	30	35	6	5	35	25	6	20
ADM	105	105	-	-	-	-	4	20	25	15	30	85	55	35	6	5	35	-	6	20
AFS	160	165	-	-	-	-	4	25	80	-	45	65	65	35	-	15	35	-	6	20
AGS	105	145	35	-	-	25	-	15	25	-	25	110	55	35	6	6	35	-	6	-
AM	105	105	35	-	-	-	4	15	25	-	30	55	35	35	6	4	35	-	6	20
APC	105	140	-	35	-	25	-	-	30-70	-	45	25	25	35	6	6	35	35	6	20
APF	105	140	-	-	-	-	4	20	30	-	30	35	30	35	6	5	35	25	6	20
APM	105	105	-	35	-	25	-	15	25	25	30	25	15	35	-	5	35	25	6	20
APS	105	165	-	-	-	-	4	20	30	-	30	55	55	35	-	7	35	-	6	20
AQM	105	105	35	35	-	-	-	20	20	15	25	65	45	35	-	5	35	-	6	20
ASEP	60	105	-	-	-	45	-	15	35	-	12ea	35	35	35	6	5	35	-	6	20
ASEP-P	60	105	-	-	70	45	-	15	35	-	12ea	35	35	35	6	5	35	25	6	20
ATM-B	105	165	-	-	-	-	4	25	30	-	45	55	55	35	6	5	35	25	6	20
ATM-F/L	105	165	-	-	-	-	4	25	45	-	45	55	55	35	6	5	35	40	6	20
AXM	105	105	-	35	-	25	6	15	25	-	25	45	35	35	6	4	35	-	6	20
BM	105	165	-	-	-	-	4	15	25	-	45	35	30	35	6	5	35	25	6	20
GS	105	105	-	35	-	25	-	15	25	-	25	110	55	35	6	6	35	-	6	20
HGS	105	105	-	35	-	25	-	15	25	-	25	110	55	35	6	6	35	-	6	20
HS	30	80	-	-	-	-	4	15	-	-	20	25	25	35	-	-	-	-	6	20
JCK/NJW	105	105	35	-	45	-	4	15	15	-	20	35	25	35	6	4	-	-	6	20
MS	105	105	35	-	-	25	-	15	25	-	25	110	55	35	6	6	35	-	6	20
OM	105	105	35	35	-	-	4	15	25	-	30	55	35	35	6	4	35	-	6	20
PM/BW	105	105	-	35	-	25	-	15	25	-	30	35	35	35	-	5	35	35	6	20
SAC	105	105	-	-	-	25	-	15	35	-	12ea	35	35	35	6	4	35	-	6	20
SHC	105	105	-	-	-	25	-	15	35	-	12ea	35	35	35	6	4	35	-	6	20
W-22	-	105	35	-	-	25	-	15	-	-	45	55	55	35	-	-	35	-	6	20
SHINKO																				
AJ/-H	325	270	-	-	-	-	-	25	25	-	-	-	-	35	15	6	-	-	-	-
CJ	435	250	-	-	-	-	-	25	75	-	75	-	-	35	-	6	-	-	-	-
HG/HJ/LN	525	360	-	-	-	-	-	25	25	-	-	-	-	35	15	6	-	-	-	-
HJK	780	360	-	-	-	-	-	35	140	-	90	-	-	35	15	6	-	-	-	-
HTR	460	325	-	-	-	-	-	25	35	-	-	-	-	35	15	6	-	-	-	-
SJ	325	215	-	-	-	-	-	25	25	-	-	-	-	35	15	6	-	-	-	-
YANTAI																				
Super SS	50	85	-	-	-	-	-	15	25	25	-	45	25	45	-	5	35	-	-	-
TCS	45	55	-	-	-	-	-	15	35	-	-	45	25	35	-	6	-	25	6	-

Prices exclude delivery, VAT and stamping fees (unless stated)

PLATFORMS & BASES	INDICATORS	PROGRAMMABLE CONTROLLERS	PRINTERS & PERIPHERALS	LOAD CELLS	WEIGHTS	CERTIFICATION & DELIVERY	SPARES
-------------------	------------	--------------------------	------------------------	------------	---------	--------------------------	---------------